

**PROFESSIONAL REFERENCE FOR  
LANDSCAPE ARCHITECTS, DESIGNERS,  
SPECIFIERS, BUYERS AND CONTRACTORS.**



# **2022 HARDSCAPES PACKAGING and SPEC GUIDE**

**ROCHESTER CONCRETE PRODUCTS**

Manufacturers and distributors of quality hardscapes and supplies for driveways, patios, paths, fire features, kitchens, retaining walls and finishing touches.

# 2022 CHANGES

## NEW

### Rockwood Olympic Wall:

Bluestone, Cascade, Onyx colors

### Contemporary Seatwall Cap:

Buff, Cascade, Onyx colors

### 6cm Cobble Stone Paver

NEW

### Pacific-Eco 8cm Paver:

Beechwood, Moonlight Gray colors

### Contemporary Outdoor Living Kits:

- Fireplace, woodbox, hearth
- 6ft Summerset Sizzler Bar/Grill
- Square Firepit w/optional cooking grate
- Linear Gas Fire Feature
- Square Gas Fire Feature
- (Beechwood, Cascade, Onyx colors)

## DISCONTINUED

Minnetonka and Mezzano Pavers: Santa Fe color

Barrington and Serano Pavers: Antique Brown color

Colonial Pavers: Antique Copper color

8cm Cobble Stone: All colors

Flagstone Paver: All colors

Holland-Eco Paver: Carmel color

Lamont Pavers: Santa Fe color

Slate Landscape Tiles: Fond du Lac, Cream colors\*

Slate Bullnose: (All colors)

Chiseled Seatwall Caps, Pillar Caps, Steps,  
and Stepping Stones: Buff color\*

Classic 6 and 8 Walls: Brown color

Cottage Stone Wall: Brown color

\* Color/availability will be reevaluated early Summer

## PLANNING YOUR TRUCKLOAD

The following items can stack on top of other pallets but CANNOT be stacked upon due to pallet size and/or position of product on pallet:

- Antique Travertine Tiles and Bullnose
- Barn Plank Tiles and Garden Wall
- Slate Landscape Tiles and Bullnose
- Fire Ring Cap
- Cottage Stone Retaining Wall
- Stepping Stones

### LOADING NOTES:

- Grand Fire Ring Kits can stack three high
- For LTL purposes, each "spot" cannot weigh over 3,000 lbs. stacked
- All pallet weights include 50 lbs. for pallet

### FREIGHT RATES:

Whether shipping LTL or full loads, dispatchers will find the most competitive freight rate available. Do you need a few pallets to complete a job but can't wait for a full truckload order? Dispatchers will work to get what you need shipped quickly via LTL carrier. LTL shipments less than 15,000 lbs. and 10 pallets are shipped at current rates throughout the Midwest at 1-3 day delivery.

**Please Note:** Our products are made from solid color concrete for lasting appearance and durability. Photographs and depictions contained herein are for representation only. Refer to actual product samples when making color selection. Product dimensions given are nominal in inches, weights in pounds.

© Copyright 2022, Rochester Concrete Products. All Rights Reserved. All trademarks and registered trademarks are the property of their respective owners. Rockwood Retaining Walls products are made worldwide under license from Rockwood Retaining Walls, Inc. US and international patents issued and pending.

The information presented here has been prepared for the benefit of customers interested in Rochester Concrete Products, it was reviewed carefully prior to publication. Rochester Concrete Products assumes no liability for its accuracy or completeness. Final determination of the suitability of any information or material for the use contemplated, or for its manner of use, is the sole responsibility of the user. Not all products available in all areas. Product availability and specifications subject to change without notice.

We manufacture and/or distribute these leading hardscape brands and accessories.

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

  
*Silver Creek®*  
STONEWORKS

 **interlock**

**Alliance**  
QUALITY IS OUR STRENGTH

*necessaries*  
kits for outdoor living

**ROCKWOOD**  
RETAINING WALLS  
*A better way.™*

  
**VERSA-LOK®**  
Retaining Wall Systems  
Solid Solutions™

**ROSETTA®**  
THE LOOK AND FEEL OF NATURE

  
**XTERIORS™**  
ALL-WEATHER SOLUTIONS FOR EXTERIOR STYLE

 **STRATA**

 **KEYSTONE®**  
RETAINING WALL SYSTEMS

 **SUMMERSET**

# INDEX

## WET CAST LANDSCAPE TILES

Antique Travertine.....	9
Barn Plank .....	5
Slate .....	8
Stepping Stones .....	37

## PAVERS & SLABS

Accent Paver (6 x 12) .....	17
American Brick Paver.....	15
Barrington & Minnetonka Pavers.....	10
Broadmour Pavers .....	12
Bullnose Paver .....	39
Cobble Stone Paver (NEW 6cm) .....	17
Colonial Pavers/Circle Kit .....	13-14
Flagstone Paver .....	19
Holland and Holland-Eco Pavers .....	18
Lamont Paver/Circle Kit .....	15-16
Mezzano and Serano Pavers .....	11
Pacific-Eco Paver (NEW).....	19
Porcelain Pavers .....	22-23
Tahoe and Reno Pavers.....	11
Turfstone-Eco Paver .....	19

## RETAINING WALLS

Barn Plank Garden Wall .....	5
Cap Blocks .....	36
Classic 6 and 8, DOT Walls and Caps .....	26
Classic Colonial 6 and 8 Walls .....	27
Contemporary Wall.....	30
Compac Wall.....	29
Cottage Stone Wall .....	28
Lakeland and Riverland Walls .....	25
Legend Wall.....	29
Olympic Wall (NEW) .....	30
Recon Wall .....	31
Rosetta (Belvedere, Kodah, Outcropping Walls and Irregular Steps).....	34-35
Sapphire Wall .....	28
Standard (Keystone and Versa-Lok) Walls.....	32
StoneHedge 6 Wall .....	28
Stonegate Wall .....	29
Vintage 6 Wall .....	24

## OUTDOOR LIVING KITS

Contemporary Kits (NEW) .....	6-7
Fireplace Kits .....	42-44
Fire Ring Kits & Accessories .....	45
Grand Island Bar Series .....	46
Kitchen Cabinet Kits .....	50-53
Necessories .....	42
Seatwall and Pillar Kits .....	44
Summerset Pro Sizzler Grills .....	51
Table, Waterfall and Woodbox/Stand Kits .....	47

## ACCESSORIES

Adhesive (Super-Stik) .....	38
Alliance Gator Sand/Sealers, ect. ....	40-41
Bullnose Paver .....	39
Cap Blocks .....	36
Chiseled Caps and Tops .....	38
Chiseled Steps .....	37
Edgers .....	39
Geo-Grid .....	38
Grand Step .....	37
Site Furnishings .....	25
Sleeve-It .....	38
Snap Edge .....	38

## REFERENCE

Accenting and Border Pavers .....	20-21
Calculators (Adhesive, Paver and Wall Materials) .....	56-58
Classic 6 and 8 Wall Construction .....	56-57
KolorLast.....	10
Open Graded Base Construction .....	9
Vintage 6 Wall Construction.....	59-60
General Terms, Conditions and Policies .....	61-62
Warranty .....	63



# STAFF



## SALES STAFF

**Chad Peterson (WI)**  
Phone: 262-758-2354  
chad.peterson@rochesterpcp.com

**Crystal Novy (IL)**  
Phone: 630-400-4988  
crystal.kjellesvik@rochesterpcp.com

**Chad Miller (WI)**  
Phone: 262-303-1099  
chad.miller@rochesterpcp.com

**Glen Nevala (MN, SD, ND)**  
Phone: 612-702-4115  
glen.nevala@rochesterpcp.com

**Jeremy Bickner (MN)**  
Phone: 612-916-7449  
jeremy.bickner@rochesterpcp.com

**Jim Weidner (Commercial Sales)**  
Phone: 507-951-4374  
jweidner@moderra.com

**John Sheahan (WI)**  
Phone: 507-279-2950  
john.sheahan@rochesterpcp.com

**Kurt Glave (IL, IN)**  
Phone: 847-401-3741  
kurt.glave@rochesterpcp.com

**Mike Moore (NE)**  
Phone: 402-714-4907  
mike.moore@rochesterpcp.com

**Scott Gengler (IA)**  
Phone: 507-269-6982  
scott.gengler@rochesterpcp.com

**Travis Lawrence (MN)**  
Phone: 612-801-9026  
travis.lawrence@rochesterpcp.com

**Chris Staszuk (Midwest & E. USA)**  
Phone: 517-249-0777  
cstaszuk@rockwoodwalls.com

## DISPATCH

**Becky Myre (Jordan)**  
Phone: 952-492-4082  
becky.myre@rochesterpcp.com

**Cherey Justmann (Beaver Dam)**  
Phone: 920-386-3104  
cherey.justmann@rochesterpcp.com

**Jaime Martinez (Rochester)**  
Phone: 507-424-4693  
jaime.martinez@rochesterpcp.com

**Karla Portillo (Rochester)**  
Phone: 507-535-1489  
karla.portillo@rochesterpcp.com

**Linda Baker (Beaver Dam)**  
Phone: 920-386-3105  
linda.baker@rochesterpcp.com

**Mark Straub (Jordan)**  
Phone: 952-492-3636  
mark.straub@rochesterpcp.com

**Tanya Kapfer (Thorp)**  
Phone: 715-669-5552  
tanya.kapfer@rochesterpcp.com

## MANUFACTURING

**Corp. Office/Rochester Plant**  
7200 Broadway Ave. N  
Rochester, MN 55906  
Phone: 507-288-8850  
Fax: 507-535-1487

**Beaver Dam Plant**  
W6558 Hwy 33, Juneau, WI 53039  
Phone: 920-386-3333  
Fax: 920-386-4612

**Thorp Plant**  
N14665 Dickerson Ave., Thorp, WI 54771  
Phone: 715-669-5552  
Fax: 715-669-7135

**Jordan Plant**  
3535 Bluff Drive, Jordan, MN 55352  
Phone: 952-492-3636  
Fax: 952-492-3668

## SUPPORT STAFF

**Crystal Mathews (Warranties and Samples)**  
Phone: 507-535-1482  
crystal.mathews@glindustries.net

**Sarah Henke (Administrative Assistant)**  
Phone: 507-529-2871  
shenke@rockwoodwalls.com

**David Spies (Marketing Director)**  
Phone: 507-271-2247  
dspies@rockwoodwalls.com

**Jessica Spading (Online Marketing)**  
Phone: 507-535-3509  
jspading@rockwoodwalls.com

**Justin Rueth (Web)**  
Phone: 507-535-3524  
jrueth@rockwoodwalls.com

**Kim Schumacher (Acct's Receivable)**  
Phone: 507-535-1493  
kim.schumacher@glindustries.net

### Online Calculator:

[www.rochesterpcp.com/calculator](http://www.rochesterpcp.com/calculator)

### Online Order Form:

Contact your Regional sales representative

### Online:

[www.rochesterpcp.com](http://www.rochesterpcp.com)  
[www.silvercreekstoneworks.com](http://www.silvercreekstoneworks.com)  
[www.rockwoodretainingwalls.com](http://www.rockwoodretainingwalls.com)  
[www.outdoorlivingkits.com](http://www.outdoorlivingkits.com)  
[www.interlock-concrete.com](http://www.interlock-concrete.com)

### Instagram and Facebook:

[rochesterconcreteproducts](#)



# BARN PLANK LANDSCAPE TILES

Silver Creek Stoneworks

## Features

- Deep splits and detailed grain top and sides, three faces each
- Will never rot or warp
- For paths, patios, pools, caps and overlays
- Matching step block, garden wall and fire pit kit
- Strong and durable 10,000 psi concrete

## Colors

- Mahogany (color protected)
- Weathered Gray (color protected)

Gap tiles a minimum of 1/4"  
Use roller compactor or buffer pad  
when compacting.




Available in partial pallets. CANNOT be double stacked.

To calculate pieces divide total sq. ft. by 5.20


*Barn Plank tiles are manufactured with a surface applied protectant to help resist the harmful effects of time, Mother Nature, acid rain and stains.*

Size/Name	Dimensions	Area (ea.)	Weight (ea.)	Units/pallet	Weight/pallet
Small	15.50 x 9.75 x 2" H	1.05 sq. ft.	24 lbs.	40 (42 sq. ft.)	1,010 lbs.
Medium	23.375 x 9.75 x 2" x H	1.59 sq. ft.	33 lbs.	20 (31.80 sq. ft.)	710 lbs.
Large	35 x 9.75 x 2" x H	2.37 sq. ft.	52 lbs.	20 (47.40 sq. ft.)	1,090 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




**Pattern 1**  
Small = 20.9%  
Medium = 31.6%  
Large = 47.4%



**Pattern 2**  
Small = 20.9%  
Medium = 31.6%  
Large = 47.4%



**Pattern 3**  
Large = 100%



**Pattern 4**  
Large = 100%



# BARN PLANK GARDEN WALL



Silver Creek Stoneworks

- Deep splits and detailed grain on five sides
- Smooth radius, 90° corners all sides
- Matching landscape tiles and step
- Matching Fire Pit Kit on page 45

## Colors

- Mahogany
- Weathered Gray

Barn Plank Garden Wall is manufactured with a surface applied protectant to help resist the harmful effects of time, Mother Nature, acid rain and stains.



Dimensions	Area (ea.)	Weight (ea.)	Units/pallet	Weight/pallet
40 x 8 x 6" H	1.66 sq. ft.	162 lbs.	16 (26.56 sq. ft.)	2,650 lbs.

## CONTEMPORARY OUTDOOR LIVING KITS

### Convenient standard features

- Easy-to-read, step-by-step instructions
- Concrete precut and reinforcements sized to fit
- Easily customized

### Colors

- Beechwood
- Cascade
- Onyx

## CONTEMPORARY FIREPLACE

- Separate Fireplace, Woodbox and Hearth Kits
- Silver Creek Chisled mantels/caps
- Protective firebrick

NEW



## CONTEMPORARY 6' ISLAND BAR/GRILL

- Summerset Sizzler Pro 32" Stainless grill
- Vented double stainless steel doors
- Three-piece, 3cm black granite top

**ROCKWOOD**  
RETAINING WALLS  
*A better way.™*






### CONTEMPORARY WOOD BURNING FIRE PIT

- Heavy-gauge four-piece steel insert
- Optional swivel cooking grate

**NEW**



### CONTEMPORARY GAS BURNING FIRE PIT AND FIRE TABLE

- TPSI's match light stainless steel insert, NG insert
- Contemporary wall caps
- Lava rocks and Vents kit



**OLYMPIC WALL**

### CONTEMPORARY WALL CAP

- Buff
- Cascade
- Onyx



# SLATE LANDSCAPE TILES

Silver Creek Stoneworks

**Features**

- Four sizes with 23 unique faces plus coping
- Detailed slate top, chiseled sides
- Strong and durable 10,000 psi concrete
- For paths, patios, pools and overlays
- Unique 24" x 36" slab
- Slate bullnose coping (discontinued)

**Colors**

- Bluestone
- Cream (discontinued)
- Fond du Lac (discontinued)


Available in partial pallets. CANNOT be double stacked.




Gap tiles a minimum of 1/4"  
Use roller compactor or buffer pad  
when compacting.

Size	Area (ea.)	Weight (ea.)	Units/pallet	Weight/pallet
12 x 12 x 1.75" H (small sq.)	1 sq. ft.	18 lbs.	44 (44 sq. ft.)	840 lbs.
24 x 12 x 1.75" H (rectangle)	2 sq. ft.	35 lbs.	22 (44 sq. ft.)	930 lbs.
24 x 24 x 1.75" H (large sq.)	4 sq. ft.	68 lbs.	22 (96 sq. ft.)	1,550 lbs.
24 x 36 x 1.75" H (XL - not shown)	6 sq. ft.	107 lbs.	16 (96 sq. ft.)	1,787 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




**Pattern 1**  
Small sq. = 14%  
Rectangle = 29%  
Lg. Sq. = 57%




**Pattern 2**  
Small sq. = 14%  
Rectangle = 29%  
Lg. Sq. = 57%




**Pattern 3**  
Small sq. = 7.69%  
Rectangle = 15.39%  
Lg. Sq. = 30.77%  
XL = 46.15%



**Pattern 4**  
Small sq. = 11.1%  
Rectangle = 11.1%  
Lg. Sq. = 44.4%  
XL = 33.3%



**Pattern 5**  
Small sq. = 25%  
Rectangle = 50%  
Lg. Sq. = 25%



**Pattern 6**  
Small sq. = 11.2%  
Rectangle = 44.4%  
Lg. Sq. = 44.4%



**IMPORTANT INSTALLATION NOTES:**

- Gap **Silver Creek Landscape Tiles** 1/4" to aid leveling and aesthetics
- Pull from multiple pallets and rotate tiles to enhance random appearance
- Pavers and slabs with embossed surfaces are more susceptible to scuff marks from plate compactors.  
Always use a roller compactor or a protective mat between the plate and paver surface when compacting.



# ANTIQUE TRAVERTINE LANDSCAPE TILES

Silver Creek Stoneworks

**Features**

- Three sizes w/eighteen unique faces
- Detailed travertine top and sides, smooth honed surface
- Strong and durable 10,000 psi concrete
- For paths, patios, pools and overlays
- Matching bullnose coping (24 x 12 x 2" H)

Partial pallet quantities available, pallets CANNOT be double stacked.

**Colors**


- Ivory
- Natural




Gap tiles a minimum of 1/4"  
Use roller compactor or buffer pad  
when compacting.

Size	Area (ea.)	Weight (ea.)	Units/pallet	Weight/pallet
12 x 24 x 2" H (small)	2 sq. ft.	46 lbs.	20 (40 sq. ft.)	970 lbs.
18 x 24 x 2" H (medium)	3 sq. ft.	70 lbs.	18 (54 sq. ft.)	1,310 lbs.
24 x 24 x 2" H (large)	4 sq. ft.	88 lbs.	18 (72 sq. ft.)	1,634 lbs.
24 x 12 x 2" H (bullnose coping)	2 sq. ft.	43 lbs.	20 (40 sq. ft.)	910 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




**Pattern 1**  
Small = 22.26%  
Medium = 33.33%  
Large = 44.4%




**Pattern 2**  
Large = 100%




**Pattern 3**  
Small = 22.26%  
Medium = 33.33%  
Large = 44.4%



**Pattern 4**  
Small = 36.2%  
Medium = 27.3%  
Large = 36.5%



**Pattern 5**  
Large = 100%




**Pattern 6**  
Small = 100%

**Build fast and efficiently  
by using open graded  
base material and large  
format pavers.**

Open graded paver base construction is wet weather friendly, costs less than conventional base and can save as much as 35 labor hours per week. In six months, you could gain as much as 840 labor hours.

Choose large format pavers and install more jobs. See the time study comparison at:  
[www.rochesterpcp.com/efficiency](http://www.rochesterpcp.com/efficiency)



**Design Notes:**

1. Cross-section shown as suitable for sidewalks and patios.
2. Depth of aggregate base subject to site specific conditions such as soil conditions, groundwater levels, climate conditions, etc.
3. Depending on the permeability of subgrade soils, drain pipes should be placed within the aggregate base. Drainage needs should be verified with the geotechnical engineer. Drain pipes must be available to daylight via gravity flow to the surface or be connected to a catch basin.
4. Jointing sand that conforms to a ASTM C144 may be used in pedestrian applications. Contact your local sales representative.

# MINNETONKA and BARRINGTON 6CM PAVERS

Interlock Concrete Products

## Features

- Three-piece, one-pallet systems
- Chamfered/irregular edge
- Auto spacers, 1/8" joint
- Suitable for paths, patios, pool decks
- 6 x 12" Accent pavers (smooth or slate surface)

Available by pallet or layer.

## Colors (w/ KolorLast)

- Antique Brown (Minnetonka only)
- Beechwood
- Bluestone
- Cascade
- Santa Fe (Barrington only)

## 6 x 12 Colors (w/ KolorLast)

- Brown
- Buff
- Onyx
- Natural (Smooth only)



Barrington = Smooth Top


6 x 12 Accent Pavers

Minnetonka = Slate Top


Use roller compactor or buffer pad when compacting.

Size/Name	Dimensions	Area (ea.)	Weight (ea.)	Units/layer	Area/layer	Layers	Units/pallet	Weight/pallet
Small	8 x 16 x 2.375" H	0.89 sq. ft.	24.5 lbs.	2	-	-	20	
Medium	16 x 16 x 2.375" H	1.78 sq. ft.	49 lbs.	2	10.2 sq. ft.	10	20 (102 sq. ft.)	3,000 lbs.
Large	16 x 24 x 2.375" H	2.67 sq. ft.	73.5 lbs.	2	-	-	20	
6 x 12	5.75 x 11.5 x 2.375" H	0.46 sq. ft.	13 lbs.	21	9.66 sq. ft.	10	210 (97 sq. ft.)	2,780 lbs


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




**Pattern 1**  
Small = 16.6%  
Medium = 33.33%  
Large = 50.7%




**Pattern 2**  
Small = 16.6%  
Medium = 33.33%  
Large = 50.7%



**Pattern 3**  
Small = 16.6%  
Medium = 33.33%  
Large = 50.7%



**Pattern 4**  
Small = 16.6%  
Medium = 33.33%  
Large = 50.7%



**Herringbone**  
6 x 12 = 100%

**KolorLast protected pavers live up to the damaging effects of time, Mother Nature and decades of use and abuse.**

## KolorLast Protected Pavers Are:

- Fade Resistant
- Stain Resistant
- Acid Rain Resistant
- Salt Resistant
- Spalling Resistant
- Inhibits Efflo and Poly Haze



## KolorLast Pavers

American Brick .....	All Colors
Barrington & Minnetonka .....	All Colors
Broadmour .....	Onyx
Broadmour Plank .....	Onyx
Cobble Stone .....	Onyx
Colonial .....	Onyx
Holland .....	Onyx
Mezzano and Serano .....	All Colors

# MEZZANO and SERANO 6CM PAVERS

Interlock Concrete Products

## Features

- Three-piece, one pallet system
- Chamfered/irregular edge
- Auto spacers, 1/8" joint
- Suitable for vehicular applications
- 6 x 12" Accent pavers (smooth or slate surface)

Available by pallet or layer.

## Colors

- Antique Brown w/ KolorLast (Mezzano only)
- Beechwood w/ KolorLast
- Bluestone w/ KolorLast
- Cascade w/ KolorLast
- Santa Fe w/ KolorLast (Serano only)



Serano = Smooth Top

## 6 x 12 Colors


- Brown w/ KolorLast
- Buff w/ KolorLast
- Onyx w/ KolorLast
- Natural (Smooth only)

Mezzano = Slate Top


Use roller compactor or buffer pad when compacting

Size/Name	Dimensions	Area (ea.)	Weight (ea.)	Units/layer	Area/layer	Layers	Units/pallet	Weight/pallet
Small	5.75 x 5.75 x 2.375" H	0.23 sq. ft.	6 lbs.	6	1.38 sq. ft.	-	60	
Medium	5.75 x 11.5 x 2.375" H	0.46 sq. ft.	13 lbs.	6	2.76 sq. ft.	10	60 (97 sq. ft.)	2,685 lbs.
Large	11.5 x 11.5 x 2.375" H	0.92 sq. ft.	25 lbs.	6	5.52 sq. ft.	-	60	
6 x 12	5.75 x 11.5 x 2.375" H	0.46 sq. ft.	13 lbs.	21	9.66 sq. ft.	10	210 (97 sq. ft.)	2,780 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




Pattern 1  
Small = 14%  
Medium = 29%  
Large = 57%




Pattern 2  
Small = 14%  
Medium = 29%  
Large = 57%



Pattern 2  
Soldier Course Border



Pattern 2  
Double Sailor Course Border



Running Bond  
6 x 12 = 100%

# RENO and TAHOE 6CM PAVER

Interlock Concrete Products

## Features

- Three-piece, one pallet systems
- Micro-chamfered, straight edge
- Auto spacers, 3/16" joint
- Smooth or slate embossed surfaces
- Suitable for vehicular applications

Available by pallet or layer.


## Colors:

- Beechwood
- Cascade
- Santa Fe


Reno = Smooth Top

Tahoe = Slate Top


Use roller compactor or buffer pad when compacting



Pattern 1



Pattern 2



Pattern 3

Size	Face Area	Units/Layer	Layers	Pallets
4.875 x 9.875 x 2.375" H	0.33 sq. ft.	8 (2.67 sq. ft.)		
9.875 x 9.875 x 2.375" H	0.67 sq. ft.	6 (4.06 sq. ft.)	8 (11.75 sq. ft.)	94 sq. ft. (2,525 lbs.)
14.75 x 9.875 x 2.375" H	1.01 sq. ft.	5 (5.05 sq. ft.)		

# BROADMOUR 6CM PAVERS & 10CM PLANK PAVER

Interlock Concrete Products


## Features

- Smooth top, chamfered edges
- Auto spacers, narrow joint
- Lays quickly, patterned or random
- Suitable for paths, patios, pool decks

Available by pallet or layer.

## Colors

- Broadmour (discontinued)
- Cascade
- Natural
- Onyx w/ KolorLast




## Plank Colors (10cm)


- Beechwood
- Cascade
- Natural
- Onyx w/ KolorLast

Broadmour (6cm)	Size	Face Area	Weight	Units/Layer	Layer	Layers	Units/Pallet	Pallet Weight
Small	6 x 12 x 2.375" H	0.5 sq. ft.	15.65 lbs.	24	12 sq. ft.	6	144 (72 sq. ft.)	2,304 lbs.
Medium	12 x 12 x 2.375" H	1.0 sq. ft.	30.4 lbs.	9	9 sq. ft.	10	90 (90 sq. ft.)	2,790 lbs.
Large*	24 x 12 x 2.375" H	2 sq. ft.	59 lbs.	6	12 sq. ft.	8	48 (96 sq. ft.)	2,880 lbs.
Large Square*	24 x 24 x 2.375" H	4 sq. ft.	113.5 lbs.	2	8 sq. ft.	10	20 (80 sq. ft.)	2,320 lbs.
<b>Plank (10cm)*</b>	<b>18 x 3 x 4" H</b>	0.36 sq. ft.	17.3 lbs.	22	7.92 sq. ft.	6	132 (47.5 sq. ft.)	2,130 lbs.


Broadmour Plank is a high-flow-rate eco/permeable paver. \*Not suitable for vehicular.




Small = 14.3%  
Medium = 28.57%  
Large = 57.14%




Running Bond  
Square = 100%




Running Bond  
Rectangle = 100%




Rectangle = 100%




Small = 20%  
Large Sq. = 80%




Herringbone  
Rectangle = 100%



Herringbone  
Plank = 100%



Running Bond  
Plank = 100%



Parquet  
Plank = 100%

BROADMOUR PAVERS

NEW

NOW 6CM HEIGHT

# COLONIAL PAVER 6CM PAVER

Interlock Concrete Products

**Features**

- Four-sizes (separate pallets)
- Dimpled top, irregular/radius edge
- Auto spacers, 1/16" joint
- Suitable for vehicular applications
- Circle kits available



Available by pallet or band.

**Colors**


- Antique Copper (discontinued)
- Beechwood
- Moonlight Gray

**Accent Colors** (3/4 sq. and rectangle)


- Brown\*
- Buff\*
- Onyx\* w/ KolorLast
- Natural

Name	Size	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
Half Square	6.30 x 3.15 x 2.375" H	0.14 sq. ft.	3 lbs.	50 (6.86 sq. ft.)	7	350 (48 sq. ft.)	1,300 lbs.
3/4 Square*	6.30 x 4.65 x 2.375" H	0.20 sq. ft.	6 lbs.	56 (11.4 sq. ft.)	7	392 (80 sq. ft.)	2,180 lbs.
Square	6.30 x 6.30 x 2.375" H	0.28 sq. ft.	7 lbs.	50 (14 sq. ft.)	7	350 (98 sq. ft.)	2,690 lbs.
Rectangle*	6.30 x 9.45 x 2.375" H	0.41 sq. ft.	12 lbs.	45 (18.4 sq. ft.)	5	225 (92 sq. ft.)	2,650 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




**Pattern 1**  
Square = 25%  
Rectangle = 75%




**Pattern 2**  
Half square = 13.37%  
3/4 square = 19.75%  
Square = 26.75%  
Rectangle = 40.13%



**Pattern 3**  
Half square = 14.81%  
Square = 29.63%  
Rectangle = 55.56%



**Pattern 4**  
Half square = 14.55%  
Square = 36.36%  
Rectangle = 49.09%



**Pattern 5**  
Half square = 13.37%  
3/4 square = 19.75%  
Square = 26.75%  
Rectangle = 40.13%


# COLONIAL PAVER 8CM PAVERS

Interlock Concrete Products

**Features**

- Auto spacers, 1/8" joint
- Two sizes, separate pallets, dimpled top, radius edge
- Suitable for vehicular applications

(SPECIAL ORDER)



8cm Colonial pavers can be made in any color with or without KolorLast.  
Set-up fee and minimum quantity required, customer must take entire production run. Returns not allowed.

Name	Size	Face Area	Weight	Units/Band	Bands/Pallet	Unit/Pallet	Pallet Weight
Square	6.30 x 6.30 x 3.125" H	0.28 sq. ft.	10 lbs.	35	7 (9.71 sq. ft.)	245 (68 sq. ft.)	2,560 lbs.
Rectangle	6.30 x 9.45 x 3.125" H	0.41 sq. ft.	16 lbs.	35	5 (14.4 sq. ft.)	175 (72 sq. ft.)	2,750 lbs.

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.

# COLONIAL 6CM PAVER CIRCLE

Interlock Concrete Products

## Features

- Auto spacers, 1/16" joint
- Expand to any size
- Available by pallet or band/layer
- Starter circle kit creates a 2 course, 2.64' dia. circle
- Six starter kits/pallet

## Colors

- Antique Copper (discontinued)
- Moonlight Gray
- Beechwood



Note: 13.25 ft. dia. circle\* (12 courses) requires starter circle kit, plus one pallet of large circle (wedges), plus one pallet of 3/4 squares.


Pallet	Size	Weight	Units	Layers-Bands	Units/Pallet	Pallet Weight
Starter Circle Kit**	(Center + course 1 & 2)	Mixed	30/layer	6 layers/pallet	180 (36 sq. ft.)	1,060 lbs.
Large Circle (wedges)	6.3 x 5.2 x 2.375" H	6 lbs. (0.23 sq. ft.)	40/layer	7 layers/pallet	280 (56 sq. ft.)	1,550 lbs.
3/4 Squares	6.30 x 4.65 x 2.375" H	6.66 lbs. (0.20 sq. ft.)	56/band	7 bands/pallet	392 (80 sq. ft.)	2,180 lbs.

\*\*Starter Circle pallet includes 6 starter circle kits

STARTER CIRCLE KIT				
Course	Diameter	Area	Large Circle (Wedges)	3/4 Squares
Center	0.53 ft.	0.22 sq. ft.	1	-
1*	1.58 ft.	1.97 sq. ft.	8	-
2*	2.64 ft.	5.48 sq. ft.	16	-
ADDITIONAL COURSES			Units/course (layers needed)	Bands
3	3.70 ft.	10.75 sq. ft.	26 (1 Layer)	-
4	4.76 ft.	17.78 sq. ft.	34 (2 Layers)	-
5	5.82 ft.	26.57 sq. ft.	21 (2 Layers)	1 Band
6*	6.88 ft.	37.12 sq. ft.	26 (3 Layers)	1 Band
7	7.93 ft.	49.43 sq. ft.	30 (4 Layers)	2 Bands
8*	8.99 ft.	63.50 sq. ft.	34 (5 Layers)	2 Bands
9	10.05 ft.	79.33 sq. ft.	38 (6 Layers)	3 Bands
10	11.11 ft.	96.91 sq. ft.	42 (1 Pallet)	4 Bands
11	12.17 ft.	116.26 sq. ft.	1 Pallet	5 Bands
12	13.25 ft.	137.37 sq. ft.	1 Pallet	1 Pallet
13	14.28 ft.	160.23 sq. ft.	1 Pallet	1 Pallet + 2 Bands
14	15.34 ft.	184.86 sq. ft.	1 Pallet	1 Pallet + 4 Bands
15	16.4 ft.	211.25 sq. ft.	1 Pallet	1 Pallet + 6 Bands
16	17.46 ft.	239.38 sq. ft.	1 Pallet	2 Pallet s+ 2 Bands
17	18.52 ft.	269.29 sq. ft.	1 Pallet	2 Pallets + 4 Bands
18	19.58 ft.	300.95 sq. ft.	1 Pallet	3 Pallets
19*	20.63 ft.	334.37 sq. ft.	1 Pallet	3 Pallets + 3 Bands
20	21.69 ft.	369.55 sq. ft.	1 Pallet	3 Pallets + 6 Bands

\*Example: To build a 20.63' dia. circle, you'll need (1) starter kit + (1) large circle pallet + (3) 3/4 sq. pallets + (3) 3/4 sq. bands.

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.



# AMERICAN BRICK 6CM PAVER

Interlock Concrete Products

## Features

- One piece paver, ideal for borders, accents and insets
- Subtle texture surfaces
- Radius edges and corners
- No spacers; strong interlock

Available by layer.

## Colors

- Tuscan Red w/ KolorLast
- Brown w/ KolorLast
- Buff w/ KolorLast
- Onyx w/ KolorLast



All colors protected with KolorLast



Use roller compactor or buffer pad  
when compacting.



Size	Face Area	Weight	Units/Layer	Layer	Layers	Units/Pallet	Pallet Weight
8 x 2.5 x 2.375" H	0.14 sq. ft.	3 lbs.	60	8.4 sq. ft.	10	600 (84 sq. ft.)	1,800 lbs.

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number

# LAMONT 6CM PAVERS

Interlock Concrete Products

## Features

- Four sizes palletized separately, smooth surface, tumbled /aged appearance
- No spacers; strong interlock
- Suitable for vehicular applications
- Extremely versatile – endless designs
- Circle kits available

Available by pallet or band.

## Colors

- Antique Brown
- Beechwood
- Sierra Gray
- Santa Fe (discontinued)

## 4 x 8 and 6 x 8 Accent Colors\*


- Brown
- Desert Buff
- Onyx




TUMBLED

Name	Size	Face Area	Weight	Units/Band	Bands/Pallet	Units/Pallet	Pallet Weight
4 x 8*	4.13 x 8.25 x 2.375" H	0.24 sq. ft.	7 lbs.	80 (19.2 sq. ft.)	5	400 (96 sq. ft.)	2,625 lbs.
6 x 8*	6.1875 x 8.25 x 2.375" H	0.35 sq. ft.	10 lbs.	50 (17.8 sq. ft.)	5	250 (89 sq. ft.)	2,450 lbs.
10 x 8	10.3 x 8.25 x 2.375" H	0.59 sq. ft.	17 lbs.	40 (23.75 sq. ft.)	4	160 (95 sq. ft.)	2,710 lbs.
12 x 8	12.375 x 8.25 x 2.375" H	0.71 sq. ft.	21 lbs.	40 (28.5 sq. ft.)	4	160 (114 sq. ft.)	3,170 lbs.


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




Pattern 1  
4 x 8 = 20%  
6 x 8 = 30%  
10 x 8 = 50%




Pattern 2  
4 x 8 = 12%  
6 x 8 = 19%  
10 x 8 = 31%  
12 x 8 = 38%



Pattern 3  
4 x 8 = 12%  
6 x 8 = 19%  
10 x 8 = 31%  
12 x 8 = 38%



Pattern 4  
4 x 8 = 45%  
10 x 8 = 55%



Pattern 5  
4 x 8 = 29%  
10 x 8 = 71%

# LAMONT CIRCLE 6CM PAVER

Interlock Concrete Products

## Circle Kit Pallet

- Makes a 7 course, 10.33 ft. dia. circle
- No auto spacers; strong interlock
- Use 6 x 8 units for addn'l courses

## Colors

- Antique Brown
- Beechwood
- Santa Fe (discontinued)
- Sierra Gray



Circle Kit Pallet (10.33 ft. dia.)	Size	Face Area	Weight Ea.	Units/Pallet	Pallet	Pallet Weight
Center	8.26 x 8.26 x 2.375" H	0.47 sq. ft.	13 lbs.	9 (8 extra)	-	-
Small Circle	9.39 x 8.26 x 2.375" H	0.54 sq. ft.	15 lbs.	9	-	-
Middle Circle	7.97 x 8.26 x 2.375" H	0.59 sq. ft.	17 lbs.	18	89 sq. ft.	2,520 lbs.
Large Circle	7.21 x 8.26 x 2.375" H	0.41 sq. ft.	12 lbs.	135	-	-
6 x 8	6.187 x 8.26 x 2.375" H	0.35 sq. ft.	10 lbs.	81	-	-

## CIRCLE KIT PALLET


Course	Outside Dia.	Outside Dia. (ft.)	Area (sq. ft.)	Center	Small Circle	Middle Circle	Large Circle	6 x 8
Center	8.26"	0.69	0.37	1	-	-	-	-
1	24.76"	2.06	3.34	-	8	-	-	-
2	41.26"	3.44	9.29	-	-	16	-	-
3	57.76"	4.81	18.20	-	-	-	24	-
4	74.26"	6.19	30.08	-	-	-	32	-
5	90.76"	7.56	44.93	-	-	-	20	20
6	107.26"	8.94	62.75	-	-	-	24	24
7	123.76"	10.33	83.54	-	-	-	28	29

## ADDITIONAL COURSES (6 x 8's only)

8	140.11"	11.68	107.07	-	-	-	-	72 (2 Bands)
9	156.46"	13.04	133.52	-	-	-	-	80 (3 Bands)
10	172.81"	14.40	162.88	-	-	-	-	88 (1 Pallet)
11	189.16"	15.76	195.16	-	-	-	-	97 (1 Pallet + 2 Bands)
12	205.51"	17.13	230.35	-	-	-	-	105 (1 Pallet + 4 Bands)
13	221.86"	18.49	268.46	-	-	-	-	113 (2 Pallets + 1 Bands)
14	238.21"	19.85	309.49	-	-	-	-	122 (2 Pallets + 4 Bands)
15*	254.56"	21.21	353.43	-	-	-	-	130 (3 Pallets + 2 Bands)

\*Example: To build a 21.2' dia. circle, you'll need (1) Circle Kit pallet + (3) 6 x 8 pallets + (2) 6 x 8 bands

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.





# COBBLE STONE PAVER 6CM PAVER

Interlock Concrete Products

## Features

- Four-piece, one-pallet system
- Designed for driveways, pathways and accenting applications
- Subtle texture top with soft edge detail
- Lays in a running bond
- Large auto-spacer; high-flow-rate eco/permeable

Available by pallet or layer.

## Colors




- Beechwood
- Moonlight Gray
- Onyx w/ KolorLast

**NEW**



Use roller compactor or buffer pad when compacting.

Size	Face Area	Units/Layer	Layer	Layers	Units/Pallet	Pallet Weight
7.125 x 5.875 x 2.375" H	0.29 sq. ft.	8				
8.625 x 5.875 x 2.375" H	0.36 sq. ft.	8	12.33 sq. ft.	8	192 (98.7 sq. ft.)	2,550 lb
10.375 x 5.875 x 2.375" H	0.42 sq. ft.	8				
11.875 x 5.875 x 2.375" H	0.48 sq. ft.	8				



**REPLACES 8CM COBBLE STONE**

# 6 X 12 ACCENT 6CM PAVERS

Interlock Concrete Products

## Features

- Chamfered/irregular edge
- Auto spacers, 1/8" joint
- Suitable for vehicular applications

Available by pallet or layer.







## Colors

- Brown w/ KolorLast
- Buff w/ KolorLast
- Onyx w/ KolorLast
- Natural (smooth only)

Smooth or Slate Top



Size/Name	Dimensions	Area (ea.)	Weight (ea.)	Units/layer	Area/layer	Layers	Units/pallet	Weight/pallet
6 x 12	5.75 x 11.5 x 2.375" H	0.46 sq. ft.	13 lbs.	21	9.66 sq. ft.	10	210 (97 sq. ft.)	2,780 lbs.



# HOLLAND 6CM and 8CM PAVERS

Interlock Concrete Products

## Features

- Larger than typical Hollands (4.25" W x 8.5" H)
- Smooth top, beveled edge
- Small auto-spacer
- For patios, paths, pools and drives
- Endless design opportunities

Available by pallet or band.

## 6cm Colors

- Antique Copper
- Beechwood
- Brown
- Buff
- Moonlight Gray
- Onyx w/ KolorLast
- Rosewood
- Natural




(8cm is special order)


8cm Holland pavers can be made in any color with or without KolorLast. Set-up fee and minimum quantity required, customer must take entire production run. Returns not allowed.

Size	Face Area	Weight	Units/Bands	Bands	Band	Units/Pallet	Pallet
8.5 x 4.25 x 2.375" H	0.24 sq. ft.	7 lbs.	80	5	19.6 sq. ft.	400 (98 sq. ft.)	2,785 lbs.
8.5 x 4.25 x 3.125" H	0.24 sq. ft.	9 lbs.	56	5	13.8 sq. ft.	280 (69 sq. ft.)	2,560 lbs..


Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.




Pattern 1




Pattern 2




Pattern 3



Pattern 4



Pattern 5



Pattern 6


# HOLLAND-ECO 8CM PAVER

Interlock Concrete Products

## Features

- 5" x 10" and 5" x 5" (x 3.125" H) (can be ordered without squares)
- Large auto-spacer; high flow rate eco/permeable
- Ideal for vehicular applications
- Machine layable
- Compatible with Pacific-Eco

Available by pallet.



Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4.875 x 9.75 x 3.125" H	0.33 sq. ft.	13 lbs.	28 (9.24 sq. ft.)	8	224 (83 sq. ft.)	3,050 lbs.
4.875 x 4.875 x 3.125" H	0.165 sq. ft.	6.54 lbs.	7 (1.55 sq1. ft.)	-	-	-

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.

# PACIFIC-ECO 8CM PAVER

Interlock Concrete Products


## Features

- Four-piece one-pallet system
- Smooth surface, beveled edge
- Large auto-spacer; high-flow-rate eco/permeable
- Ideal for vehicular applications
- Machine layable
- Compatible with Holland-Eco


Available by layer.

## Colors

- Beechwood
- Moonlight Gray



NEW



Paver	Size	Units/Layer	Layers	Units/Pallet	Pallet Weight
Small Square	4.87 x 4.87 x 3.125" H	28 (13.44 sq. ft.)	7 (425 lbs.)	224 (94 sq. ft.)	2,975 lbs.
Large Square	9.75 x 9.75 x 3.125" H				
Small Rectangle	4.87 x 9.75 x 3.125" H				
Large Rectangle	14.62 x 9.75 x 3.125" H				

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.

# TURFSTONE-ECO 8CM PAVER

Interlock Concrete Products

## Features

- High flow rate permeable (Voids = 0.25 cu. ft. per unit)
- Suitable for vehicular

(SPECIAL ORDER)

Turfstone-Eco can be made in any color with or without KolorLast.

Set-up fee and minimum quantity required, customer must take entire production run. Returns not allowed.



Size	Face Area	Weight	Units/Band	Band	Bands	Units/Pallet	Pallet Weight
23.63 x 15.75 x 3.125" H	2.58 sq. ft.	64.5 lbs.	16	41 sq. ft.	2	32 (82 sq. ft.)	1,940 lbs.

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.

# FLAGSTONE 6CM PAVER

Interlock Concrete Products

## Features

- One shape, six unique slate embossed faces
- 2.375" H, 1.58 sq. ft. each
- Deep/wide false joint
- Simple running bond installation
- Suitable for pedestrian applications

(SPECIAL ORDER)

Flagstone can be made in any color with or without KolorLast.

Set-up fee and minimum quantity required, customer must take entire production run. Returns not allowed.




Use roller compactor or buffer pad when compacting.

Size	Face Area	Weight	Units/Layer	Layer	Layers	Units/Pallet	Pallet Weight
Six Faces	1.58 sq. ft.	45.8 lbs.	6	9.5 sq. ft.	10	60 (95 sq. ft.)	2,806 lbs.

Dimensions shown are nominal. Pallet square footage is accurate, layers and bands square footages have been rounded to nearest whole number.

# ACCENTING and BORDER PAVERS

With the exception of Broadmour 10cm and Cobble Stone 8cm pavers, all our other pavers are 6cm in height – making them extremely design and install friendly. The endless combinations of all our paver shapes, colors and textures give designers complete freedom to make their hardscape designs truly exceptional.




**American Brick Paver:** Brown, Buff, Onyx and Tuscan Red (all KolorLast)




Basket



Double Sailor




Soldier with Sailor




**6 x 12 Accent Pavers:** Brown, Buff and Onyx (all KolorLast)




Soldier Course



Double Sailor




Double Sailor with American Brick



Examples shown to scale with a 24" pavers.

**Colonial Accent:** Brown, Buff and Onyx w/KolorLast



3/4 Square Sailor with 6 x 9 Soldier



6 x 9 Sailor with American Brick Sailor




3/4 Square Sailor with American Brick Sailor



3/4 Square Soldier with American Brick Sailor


Lamont 4 x 8 and 6 x 8: Brown, Desert Buff and Onyx




4 x 8 and 6 x 8 Soldier Courses




4 x 8 Double Sailor Course




4 x 8 Double Sailor with American Brick



6 x 8 Soldier with American Brick Sailor Course




6 x 8 Soldier with American Brick



6 x 8 Lamont Soldier + American  
Brick Sailor Course


American Brick Soldier  
6 x 12 Field



4 x 8 Lamont Double  
Sailor Course

6 x 12 Accent Soldier Course  
12 x 24 Field

American Brick Soldier



4 x 8 Lamont Soldier



# PORCELAIN 2CM PAVERS

Xteriors from Daltile

Porcelain pavers offer on-trend outdoor design in durable and long-lasting wood-look porcelain or stone. The 2 centimeter thickness ensures that your outdoor spaces from the patio & pool to the driveway & garage will turn heads no matter your climate. Consider Xteriors for your pool, patio, and outdoor kitchen for an experience that rivals the comforts and high design of the indoors. Expand your design horizons by using Xteriors products for rooftops, driveways, and elevated decks.

NAME	APPEARANCE	SHAPE	SIZE (ACTUAL DIMENSIONS)	THICKNESS	PACKAGING
Ambassador™	Lineal Quartzite	Rectangle	16 x 48 (15-9/16" x 47")	13/16" (2cm)	5.16 sq. ft., 1/carton
Assemble™	Agglomerate Stone	Square	32 x 32 (31-5/16" x 31-5/16")	13/16" (2cm)	6.89 sq. ft., 1/carton
Commissary™	Wood	Rectangle & Square**	16 x 48 (15-9/16" x 47")	13/16" (2cm)	5.16 sq. ft., 1/carton
Delegate™	Compressed Slate	Rectangle	20 x 40 (19-1/2" x 39-3/16")	13/16" (2cm)	5.38 sq. ft., 1/ carton
Dignitary™	French Limestone	Square	24 x 24 (23-7/16" x 23-7/16")	13/16" (2cm)	7.76 sq. ft., 2/carton
Diplomacy™	Belgian Bluestone	Square	24 x 24 (23-7/16" x 23-7/16")	13/16" (2cm)	7.76 sq. ft., 2/carton
Diplomacy™	Belgian Bluestone	Rectangle	20 x 40 (19-1/2" x 39-3/16")	13/16" (2cm)	5.38 sq. ft., 1/carton

\*\* Deputy Grey and Regent Honey colors also available in 24" x 24"

## TIMELESS STYLE, SUPERIOR DURABILITY – HERE’S HOW 2CM PORCELAIN PAVERS STACK UP AGAINST OTHER PRODUCTS ON THE MARKET.

	PORCELAIN PAVERS	CLAY BRICK PAVERS	CAST IN PLACE	CONCRETE PAVERS	NATURAL STONE
Stain Resistance	HIGH	Medium	Low	Low	Low
UV Resistance	WILL NOT FADE	High	Low	Low	High
Scratch Resistance	HIGH	Medium	Low	Low	Low
Freeze Thaw Resistance	FREEZE THAW PROOF	Medium	Low	Low	Low
De-Icing Salt Resistance	HIGH	Medium	Low	Low	Low
Acid Resistance	HIGH	Low	Low	Low	Low
Water Absorption <small>(ASTM #373)</small>	< 0.5%	< 8%	< 10%	< 5%	< 5%
Sealing	NEVER	No	Recommended	Recommended	Recommended
Compressive Strength (Psi)	> 30,000	> 8,000?	> 2,500 (residential) > 4,000 (commercial)	> 8,000	1,800-19,000*
Weight (lbs/sf)	9	21 – 31	12.5	27 – 36	15-50*

\*Varies by stone.

## STYLE, SIZE & COLOR

### AMBASSADOR (Stone Look)

Inspired by fine-grained quartzite found in the Swiss Alps, the Ambassador series lends high-end styling wherever it's used. Eons of stratification are reflected in the distinctive mono-directional graining and make the series a natural choice for commercial and residential spaces. Size: 16" x 48". Colors: Jet Setter Dusk and Voyager Black.

### ASSEMBLE (Stone Look)

Terrazzo and agglomerated stone look porcelain come together to create the perfect design. This collection is comprised of stone looks that construct unique visuals. Assemble provides a contemporary and modern expression to your outdoor space. Size: 32 x 32". Colors: Emissary, Magistrate and Proxy.

### COMMISSARY (Wood Look)

These porcelain pavers combine style and performance with unsurpassed durability. Bring the beauty of the finest natural looking wood to your outdoor living environment. As rich and natural as the inspiration from which it was created, our outdoor pavers offer design solutions with character, strength and a sophisticated contemporary appeal for any project. Size: 16" x 48". Colors: Bureau Brown, Commander Beige, Proxy Grey, (Deputy Grey and Regent Honey also available in 24" x 24").

### DELEGATE (Stone Look)

This sedimentary slate-inspired design offers a rich visual with depth and interest. The diagonal visual on this ColorBody™ porcelain tile is the subtle evidence of nature's powerful geological movements. Gentle color movement in the white and grey shades offers a slight visual distinction from the darker, monochromatic black hue. Size: 20" x 40". Colors: Dark Grey and Light Grey.

### DIGNITARY (Stone Look)

The imaginative Dignitary Series provides depth on surfaces as it replicates French limestone embedded with fossil layers and natural veins. Beautiful as it is strong, this outstanding paver tile is equally suited to traditional or contemporary styles, bringing ageless dimension to any outdoor application. Size: 24" x 24". Colors: Luminary White, Notable Beige and Superior Taupe.

### DIPLOMACY (Stone Look)

Diplomacy deftly delivers the quiet strength and visual beauty of quarried Belgian bluestone. Available in authentic stone look smoky hues that come alive with movement created by delicate highlights of light greys and whites. 24" x 24" and Size: 20" x 40". Colors: Dark Grey and Light Grey.

## APPLICATIONS

	Target DCOF Wet	Suitable
Dry & Level – Interior Floor	N/A	✓
Wet & Level – Interior Floor	≥ 0.42	✓
Shower Floors (Residential or Light Commercial)	≥ 0.42	✓
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	✓
Ramps & Inclines	≥ 0.65	-
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓
Pool Linings	N/A	-

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [daltille.com/DCOF](http://daltille.com/DCOF).

**APPLICATION NOTES:** Suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.

**NOTES:** Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at: [daltille.com/Factors](http://daltille.com/Factors).

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

## PERFORMANCE CHARACTERISTICS

	ASTM#	Paver Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 1000 lbs
Scratch Hardness	MOHS	8.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For addition on test results, visit us at: [daltille.com/information/TestResults](http://daltille.com/information/TestResults).

## INSTALLATION

### Dry Laying on Grass:

The gaps between the slabs should be chosen depending on the overall desired aesthetic.

### Dry Laying on Gravel:

Gaps of at least 3/16" (5 mm) should be left between slabs, using spacers to set the correct width. Joint may be left empty or filled with fine sand, polymeric sand specifically formulated for porcelain tile or small, clean aggregate, depending on the joint width and desired aesthetic.

### Dry Laying on Sand:

The gaps between the slabs should be chosen depending on the overall desired aesthetic.

### Laying on Screed with Adhesive:

Slabs must be laid with open joints of variable width of no less than 3/16" (5 mm).

### Raised Pavings:

Pedestal contains correct tile spacers for application.



[www.daltille.com/xteriors](http://www.daltille.com/xteriors)

# VINTAGE 6 RETAINING WALLS

## Rockwood Retaining Walls

### Features


- Three-piece system, all sizes on one pallet
- Spilt-faced, tumbled vertical wall system with anchor bar connection
- Builds straight or 8' radius without cutting, freestanding or retaining walls
- End blocks are split on three sides, corner/pillar block split on two sides

Available by set.


### Colors

- Beechwood
- Bluestone
- Cascade
- Santa Fe


Available  
Tumbled or Split-Faced




Vintage 6 (sets)	Size	Face Area	Weight	Pallets	Weight
Small (S)	6 x 10 x 6" H	0.25 sq. ft.			
Medium (M)	12 x 10 x 6" H	0.50 sq. ft.	137.5 lbs.	20 sets (30 sq. ft.)	2,790 lbs.
Large (L)	18 x 10 x 6" H	0.75 sq. ft.			
Small End block (SE)	6 x 10 x 6" H	0.42 sq. ft.			
Large End block (LE) sold in sets	12 x 10 x 6" H	0.83 sq. ft.	81.50 lbs.	8 sets (10 sq. ft.)	702 lbs.
Corner/Pillar Block (Full pallets only)	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	30 (15 sq. ft.)	1,490 lbs.



Concave 8 ft. Radius Wall Pattern (1 = SHORT side)



Convex Wall Pattern (2 = LONG side)



Freestanding Straight Wall Pattern (Use LONG and SHORT sides)

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*



# LAKELAND RETAINING WALL

Rockwood Retaining Walls

## Features


- Tumbled, three-piece, two-pallet system
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Builds right angles and straight walls
- Cap with 3" or Chiseled Cap

Available by pallet.

## Colors

- Beechwood
- Bluestone
- Cascade
- Santa Fe
- Onyx (also available non-tumbled, large only)

**ROCKWOOD**  
RETAINING WALLS  
*A better way.™*



Block	Size	Face Area	Weight	Layers	Units/Pallet	Weight
Small (Lakeland II)	4 x 8 x 4" H	(2 piece sets)				
Medium	8 x 8 x 4" H	0.33 sq. ft.	31 lbs.	4 (20 sets)	80 sets (26 sq. ft.)	2,530 lbs.
Lakeland Standard	12 x 8 x 4" H	0.33 sq. ft.	31 lbs.	4 (20 units)	80 (26 sq. ft.)	2,530 lbs.

To estimate number of units, divide total sq. ft. by 0.33.

# RIVERLAND RETAINING WALL


Rockwood Retaining Walls

## Features

- Tumbled, three-piece, one-pallet system
- Builds 7'-8" radius without cutting
- Cap with 3" or Chiseled Cap

## Colors

- Beechwood
- Bluestone
- Cascade
- Santa Fe
- Onyx



Available by pallet.

Block	Size	Face Area	Weight	Layers	Sets/Layer	Sets/Pallet	Pallet Weight
Small	8 x 8 x 4" H	(3 piece sets)					
Medium	12 x 8 x 4" H	1.0 sq. ft.	90 lbs.	6	5	30 (30 sq. ft.)	2,750 lbs.
Large	16 x 8 x 4" H						

# SITE FURNISHINGS

Barkman Concrete

Add distinctive flair and functionality to your next interior or exterior landscaping project with our wide selection of attractive site furnishings and accessories. We have unlimited shapes and color combinations to choose from, and our simple, yet classic styling makes our furnishings ideal for any setting. Premium wet cast and GRFC (glass reinforced concrete) site amenities and furnishings are developed and produced by Barkman Concrete, LLC.

<https://rochestercp.com/site-furnishings>




**barkman™**

# CLASSIC® RETAINING WALLS

## Rockwood Retaining Walls

### Features

- Straight and beveled face options
- Strong and versatile, efficient to build, one-unit system
- Matching half and corner block (2-3 day lead time req'd.)
- 1.0" setback; adjustable
- Cap with 4" Universal or Chiseled Cap



Available by layer or pallet.

#### Classic 6 Colors (straight or beveled face)

- Bluestone
- Sandstone Brown
- Santa Fe

#### Classic 8 Colors (straight or beveled face)

- Gray
- Sandstone

#### Classic 6 Colors (straight face)

- Charcoal
- Gray
- Sandstone

#### Classic 8 Colors (straight face)

- Charcoal
- Brown (discontinued)
- Sandstone Brown
- Base block: gray only

Classic 6	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Straight Base	18 x 12 x 6" H	0.75 sq. ft.	64 lbs.	12	3	36 (27 sq. ft.)	2,354 lbs.
Beveled Face	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,210 lbs.
Half Block	9 x 12 x 6" H	0.38 sq. ft.	30 lbs.	12	1	12 (4.56 sq. ft.)	410 lbs.
Corner Block	13 x 5.5 x 6" H	0.54 sq. ft.	32 lbs.	12	1	12 (6.48 sq. ft.)	434 lbs.

To estimate number of units, divide total sq. ft. by 0.75 for Classic 6.

Classic 8	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	2	24 (24 sq. ft.)	2,090 lbs.
Straight Base (gray only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	2	24 (24 sq. ft.)	2,090 lbs.
Beveled Face	18 x 12 x 8" H	1.0 sq. ft.	79 lbs.	12	2	24 (24 sq. ft.)	1,946 lbs.
Half Block	9 x 12 x 8" H	0.5 sq. ft.	39 lbs.	12	1	12 (6 sq. ft.)	518 lbs.
Solid Corner Block**	18 x 9 x 8" H	1.0 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.



Corners are split on one long and one short side. \*\* Rochester and Beaver Dam only.

# CLASSIC® 8 DOT RETAINING WALL


## Rockwood Retaining Walls

- 1" setback; adjustable
- Straight face in Sandstone or Gray

Beveled face can be made in any color. Minimum quantity required, customer must take entire production run. Returns not allowed.



Split face front/back.  
Spec'd in WI.



Split face front.  
Spec'd in MN and IA.

Classic 8 DOT	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight Face	18 x 12 x 8" H	1.0 sq. ft.	87 lbs.	12	2	24 (24 sq. ft.)	2,130 lbs.
Beveled Face*	18 x 12 x 8" H	1.0 sq. ft.	82 lbs.	12	2	24 (24 sq. ft.)	2,018 lbs.
4" Flat Cap	18 W x 11 x 4" H (Front)						
	14 W x 11 x 4" H (Back)	1.0 ln. ft.	55 lbs.	9	5	45 (60 ln. ft.)	2,520 lbs.
4" Peaked Cap	18 W x 12 x 4" H	1.5 ln. ft.	70 lbs.	8	4	32 (48 ln. ft.)	2,290 lbs.

# CLASSIC COLONIAL® 6 RETAINING WALL


Rockwood Retaining Walls

## Features

- Multi-unit appearance, rustic face
- A strong and versatile, efficient to build, one-unit system
- Matching base, corner and half blocks (2-3 day lead time req'd.)
- Cap with 4" Universal or Chiseled Cap
- 1.0" setback; adjustable

## Classic Colonial 6

- Available by layer or pallet
- Bluestone
- Santa Fe
- Sandstone Brown



**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

Classic Colonial 6	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Colonial 6/12	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Base Block	18 x 12 x 6" H	0.75 sq. ft.	60 lbs.	12	3	36 (27 sq. ft.)	2,260 lbs.
Half Block	9 x 12 x 6" H	0.38 sq. ft.	30 lbs.	12	1	12 (4.56 sq. ft.)	410 lbs.
Corner Block	13 x 5.5 x 6" H	0.54 sq. ft.	32 lbs.	12	1	12 (6.48 sq. ft.)	434 lbs.


Colonial 6/12 and 18 palletized separately. To estimate number of Classic Colonial 6 units, divide total sq. ft. by 0.75.

# CLASSIC COLONIAL® 8 RETAINING WALL

Rockwood Retaining Walls

- Multi-unit appearance, rustic face
- 1.0" setback; adjustable

(SPECIAL ORDER)



Can be made in any color. Minimum quantity required, customer must take entire production run. Returns not allowed.

Classic Colonial 8*	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Colonial 18	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	2	24 (24 sq. ft.)	2,090 lbs.
Colonial 6/12	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	2	24 (24 sq. ft.)	2,090 lbs.
Base Block (gray only)	18 x 12 x 8" H	1.0 sq. ft.	85 lbs.	12	2	24 (24 sq. ft.)	2,090 lbs.
Half Block	9 x 12 x 8" H	0.50 sq. ft.	39 lbs.	12	1	12 (6 sq. ft.)	518 lbs.
Corner Block	13 x 5.5 x 8" H	0.72 sq. ft.	40 lbs.	12	1	12 (8.64 sq. ft.)	530 lbs.

## The Advantages of the Classic® System...

### It's Fast...

Located on the underside of each Classic® block, the 4" x 2" Anchor Bar creates an automatic setback with the highest shear resistance in the industry. Plus, Classic's fewer pieces, pinless design, and lower weight per square foot reduces construction time, labor costs, and freight charges.

### It's Simple...

"One Unit" construction is a vital element of Classic's superior design. 90° corners and half blocks are made simply by removing a portion of the block. No special blocks are required; no special inventories are needed; no shortages occur on the jobsite!

### It's Strong...

Upon assembly, Classic blocks automatically create 4" x 5" vertical "stone columns". When layered with grid, the gravel filled "stone columns" provide a multi-point interlock, for a more uniform block-to-grid connection.

### It's Versatile...

Variable setbacks, sharp radius turns, "One Unit" construction, and complete interchangeability are all features of Rockwood's Classic System. The ability to mix various sizes and colors within a wall enhances your imagination without sacrificing structural integrity. Plus, the Anchor Bar allows you to build at any setback you desire - from 0° to 14°, providing the only "true" vertical setback in the industry.

Appearance  
Dependability  
Efficiency

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

### Install manuals:

<http://rockwoodwalls.com/installation>


# STONEHEDGE 6 RETAINING WALL

Rockwood Retaining Walls

## Features

- Split-face front and back
- Vertical system, anchor bar integrates with Classic block systems
- Creates seatwalls, enclosures and privacy walls

(SPECIAL ORDER)



**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

StoneHedge can be made in any color. Minimum quantity required, customer must take entire production run. Returns not allowed.

Block	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight	18 x 10 x 6" H	0.75 sq. ft.	64 lbs.	8	3	24 (18 sq. ft.)	1,586 lbs.
Half Unit	6 x 10 x 6" H	0.38 sq. ft.	32 lbs.			12 (4.56 sq. ft.)	434 lbs.


To estimate number of units, divide total sq. ft. by 0.75.

# SAPPHIRE 6 and XL RETAINING WALLS

Rockwood Retaining Walls

## Sapphire 6 Features


- Straight face, smooth top, curved bottom
- Partial cores equal less weight
- Efficient to build, rear-lip system, 1.0" set back
- Self-capping or cap with 3" or 4" Universal Cap
- Available by layer or pallet
- Colors: Beechwood, Cascade, Santa Fe, Gray



*Sapphire 6's radius bottom eliminates the need for cleaning courses, saving time and hassle. Its rear-lip automatically creates a 1" setback.*

## Sapphire XL Features

- Straight face, open cores
- Efficient to build, rear-lip system, 1.0" set back
- Cap with 3" or 4" Universal Cap
- Available by pallet
- Colors: Gray, Sandstone



*Sapphire XL has through cores.*

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

Block	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Sapphire 6	17.25 x 12 x 6" H	0.75 sq. ft.	68 lbs.	9	5	45 (33.75 sq. ft.)	3,100 lbs.
6" Corner	16 x 8 x 6" H	0.66 sq. ft.	61 lbs.	12	4	48 (32 sq. ft.)	3,002 lbs.
Sapphire XL	18 x 12 x 8" H	1.0 sq. ft.	81 lbs.	9	4	36 (36 sq. ft.)	2,956 lbs.
8" Corner**	18 x 9 x 8" H	1.0 sq. ft.	100 lbs.	5	4	20 (20 sq. ft.)	2,050 lbs.

Corners are split on one long and one short side. \*\* Rochester and Beaver Dam only.

# COTTAGE STONE GARDEN WALL


Rockwood Retaining Walls

## Features

- Beveled face, ideal for small garden walls, tree rings and planters
- Curved bottom aids fast install
- 0.5" setback
- Cap with Mini Cap
- Cannot be double stacked
- Available by pallet

## Colors:

- Brown (discontinued)
- Charcoal
- Gray
- Sandstone
- Sandstone Brown



**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
12 x 8.5 x 4" H	0.33 sq. ft.	25 lbs.	16	6	96 (31.68 sq. ft.)	2,450 lbs.

To estimate number of units, divide total sq. ft. by 0.33


# LEGEND RETAINING WALL

Rockwood Retaining Walls

## Features

- The ultimate block for challenging applications
- Straight or beveled face options
- Efficient to build, one-unit system
- 1.0" setback, adjustable
- Special order, can be made in any color

**ROCKWOOD®**  
RETAINING WALLS  
*A better way™*



(SPECIAL ORDER)

Can be made in any color. Minimum quantity required, customer must take entire production run. Returns not allowed.

Face	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Straight	18 x 22 x 8" H	1.0 sq. ft.	131 lbs.	4	4	16 (16 sq. ft.)	2,146 lbs.
Beveled	18 x 22 x 8" H	1.0 sq. ft.	125 lbs.	4	4	16 (16 sq. ft.)	2,050 lbs.

# STONEGATE RETAINING WALL

Keystone Retaining Wall Systems


## Features

- Three-piece, one-pallet system
- Dry stack/pin connection method (1-2 SHOULDERED pins required per unit)
- Vertical or adjustable setback
- Tumbled, aged appearance
- Cap with Lakeland Block or Chiseled Cap

Available by pallet.

## Colors

- Beechwood
- Bluestone
- Santa Fe



Stonegate	Size	Back	Face Area	Weight	Sets/Layer	Layers	Sets/Pallet	Pallet Weight
Unit 16/14	16 x 10 x 6" H	14" W						
Unit 12/10	12 x 10 x 6" H	10" W	1.41 sq. ft.	140 lbs.	8	3	24 (33.84 sq. ft.)	3,250 lbs
Unit 6/4	6 x 10 x 6" H	4" W						
Shouldered Pins	0.5 x 3.75" L, (100/Box)	24,200/Pallet						

# COMPAC RETAINING WALL

Keystone Retaining Wall Systems


## Features

- Straight-split face only
- 1.0" set back
- Dry stack/pin connection method (1-2 NON-SHOULDERED pins required per unit)
- Cap with 4" Universal or Chiseled Cap

Available by pallet.

## Colors:

- Sandstone
- Gray



Compac	Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
Block	18 x 12 x 8" H	1 sq. ft.	78 lbs.	9	4	36 (36 sq. ft.)	2,860 lbs.
Corner	18 x 9 x 8" H	1 sq. ft.	100 lbs.	10	2	20 (20 sq. ft.)	2,050 lbs.
Non-shouldered Pins	0.5 x 3.75" L, (100/Box)	24,200/Pallet					

# CONTEMPORARY RETAINING WALL

Rockwood Retaining Walls

## Features


- Three-piece, one-pallet system plus corner/pillar block
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features

Available by pallet.

## Colors

- Beechwood
- Cascade
- Onyx

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*



Block	Size	Face Area	Unit Weight	Layers	Units/Pallet	Weight
Small	8 x 8 x 4" H	(3 piece sets)				
Medium	16 x 8 x 4" H	1.33 sq. ft./set	122 lbs./set	5 (4 sets ea.)	20 sets (26.6 sq. ft.)	2,480 lbs.
Large	24 x 8 x 4" H					
Corner/Pillar Block	12 x 8 x 4" H	0.33 sq. ft	31 lbs.	4 (20 units)	80 (26.6 sq. ft.)	2,530 lbs.

# OLYMPIC RETAINING WALL (SPRING 2022)

Rockwood Retaining Walls


## Features

- One-unit and corner/pillar block
- Builds vertical, freestanding garden/retaining walls, planters, seatwalls and outdoor living features
- Cap with Contemporary Wall cap


Available by pallet.

## Colors

- Bluestone
- Cascade
- Onyx



Pallet	Size	Face Area	Unit Weight	Units/Pallet	Weight
Olympic Wall	18 x 10 x 6" H	0.50 sq. ft.	Packaging is TBD		
Corner/Pillar Block	12 x 9 x 6" H	0.50 sq. ft.	48 lbs.	30 (15 sq. ft.)	1,490 lbs.



NEW

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*

# RECON RETAINING WALL

Recon Wall Systems


## Features

- Strong, wet cast blocks; 1,457 to 4,088 lbs. ea.
- 24" to 84" D x 48" W x 16" H
- Regular corner and cap blocks
- Half block (24" or 39" deep)
- Full fence or full high end/cap blocks
- Passed current WI DOT requirements


## Color/Fascia

- Available in two unique faces
- Gray (stained after construction)

Installation details at: [www.reconwalls.com](http://www.reconwalls.com)



Block	Size W x D x H	Face Area	Weight
Full Base Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	1,457 lbs.
Full Base Block - 39"	48 x 39 x 16" H	5.33 sq. ft.	2,201 lbs.
Full Base Block - 45"	48 x 45 x 16" H	5.33 sq. ft.	2,491 lbs.
Full Base Block - 60"	48 x 60 x 16" H	5.33 sq. ft.	3,115 lbs.
Full Base Block - 66"	48 x 66 x 16" H	5.33 sq. ft.	3,416 lbs.
Full Base Block - 72"	48 x 72 x 16" H	5.33 sq. ft.	3,660 lbs.
Full Base Block - 78"	48 x 78 x 16" H	5.33 sq. ft.	3,902 lbs.
Full Base Block - 84"	48 x 84 x 16" H	5.33 sq. ft.	4,088 lbs.
Full Top Block - 24"	48 x 24 x 16" H	5.33 sq. ft.	971 lbs.
Regular Corner	48 x 24 x 16" H	5.33 sq. ft.	1,401 lbs.
Corner Top	48 x 24 x 16" H	5.33 sq. ft.	1,103 lbs.
Half Block 24"	48 x 24 x 16" H	5.33 sq. ft.	667 lbs.
Half Block 39"	48 x 36 x 16" H	5.33 sq. ft.	973 lbs.
Capstone	48 x 26 x 6.5" H	2.16 sq. ft.	551 lbs.
Fence Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,449 lbs.
Fence Middle End Block	16 x 48 x 24" H	2.66 sq. ft.	1,476 lbs.
Half Fence Middle End Block	16 x 24 x 24" H	2.66 sq. ft.	709 lbs.
Guardrail Middle Block	16 x 48 x 24" H	2.66 sq. ft.	1,373 lbs.



# KEYSTONE STANDARD RETAINING WALL


Keystone Retaining Wall Systems

## Features

- Adjustable setback
- Strong, structural retaining wall system
- Dry stack/pin connection method (1-2 NON-SHOULDERED pins required per unit)
- Cap with Rockwood Universal cap

Keystone Standard can be made in any color. Minimum quantity required, customer must take entire production run. Returns not allowed.

(SPECIAL ORDER)



Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
18 x 21 x 8" H	1 sq. ft.	105 lbs.	9	2	18 (18 sq. ft.)	1,940 lbs.
Non-shouldered Pins	0.5 x 3.75" L, (100/Box)	24,200/Pallet				

# VERSA-LOK STANDARD RETAINING WALL

Versa-Lok Retaining Wall Systems


## Features

- Split-face STANDARD blocks build straight or curved retaining walls
- Split block for corner and freestanding wall construction
- Setback: 0.75"/unit (7") or vertical
- Cap with matching 3" Universal cap
- Limited delivery areas in WI, IL and Indiana
- Dry stack/pin connection method (Versa-Tuf pins required per unit)


## Colors

- Buff
- Moonlight Gray
- Carmel

Versa-Tuf pins



Size	Face Area	Weight	Units/Layer	Layers	Pallet Weight
14/16 W x 12 D x 6" H	0.667 sq. ft.	82 lbs.	40	4	3,350 lbs.
Versa-Tuf pins			100/Bag		



## ONLINE HARDSCAPES CALCULATOR

Quickly and easily calculate paver and materials requirements from your desktop or mobile device. Send yourself a PDF of the results for your project planning.

Go to: [www.rochesterpc.com/estimator/](http://www.rochesterpc.com/estimator/)



# ANYTHING MISSING IN YOUR NEXT RETAINING WALL PROJECT?



**MSE**

Mortarless Systems Engineering

**WE ARE A GEOTECHNICAL AND STRUCTURAL  
ENGINEERING FIRM WITH DECADES OF EXPERIENCE.**

Foundation Design • Value Engineering • Preliminary Quantity Take-Off  
Shop Drawings/Sealed • Site Visits • Forensic Engineering • Expert Witness

325 Alliance Pl NE, Rochester, MN 55906  
Phone: (507) 535-3530 • [www.mortarless.net](http://www.mortarless.net)

# OUTCROPPING RETAINING WALL

Rosetta Hardscapes

## Features

- Strong, wet cast wall blocks for serious performance and curb appeal
- 6", 12", 18" and 24" heights
- Fourteen unique shapes in 2' to 6' widths
- 15" setback (3")
- Lifting device required, available for purchase or rent (53 lbs.)
- Available by pallet

## Colors

- Copper Canyon
- Fond du Lac
- Pacific Gray




Pallets	Sizes	Pallet	Pallet Weight
Pallet A	3.5' x 1", 4' x 1', 5' x 1', 5.5' x 1'	18 sq. ft.	4,000 lbs.
Pallet B	2' x .5', 3' x .5', 3' x 1', 4' x .5', 4.5' x 1', 6' x 1'	18 sq. ft.	4,000 lbs.
Pallet C	2' x .5', 3' x .5', 5' x 1.5', 4' x 2'	18 sq. ft.	4,000 lbs.
Corner	30" x 48" x 12" H (3 per pallet)	19.5 sq. ft.	3,650 lbs.


## OUTCROPPING PATTERNS

Each pattern is 90 sq. ft. = (2) A pallets + (2) B pallets + (1) C pallet


### 2' x 45' Pattern




### 3' x 30' Pattern



### 4' x 22.5' Pattern



### 5' x 18' Pattern



# IRREGULAR and DIMENSIONAL STEPS

Rosetta Hardscapes

- Wet cast, varied appearance
- 3.5 to 6 ft. wide x 7" H
- Available by pallet

Colors: Copper Canyon, Fond du Lac and Pacific Gray

**ROSETTA**  
THE LOOK AND FEEL OF NATURE

Size	Weight	Units/Pallet	Pallet Weight
Irregular x 7" H	493 lbs.	6	3,008 lbs.
72 x 30 x 7" H (special order)	1,320 lbs.	3	4,010 lbs.

# KODAH RETAINING WALL

Rosetta Hardscapes

**Features**

- Four-unit system on one pallet
- Two-sided, wet cast blocks build freestanding, vertical seat and retaining walls
- Matching corner/end blocks
- Available by pallet

**Colors**

- Copper Canyon
- Fond du Lac
- Pacific Gray



Wall Pallet (Sold in set.)	Face Area	Weight	Units/Pallet	Pallet Weight
42 x 10.5 x 6" H	1.75 sq. ft.	200 lbs.	6	
30 x 10.5 x 6" H	1.25 sq. ft.	140 lbs.	3	
21 x 10.5 x 6" H	0.88 sq. ft.	100 lbs.	6	
12 x 10.5 x 6" H	0.50 sq. ft.	50 lbs.	3	(21 sq. ft.) 2,400 lbs.
Corner Pallet 21 x 10.5 x 6" H	0.88 sq. ft.	100 lbs.	24 (21 sq. ft.)	2,400 lbs.

# BELVEDERE RETAINING WALL

Rosetta Hardscapes

**Features**

- 64 unique stone textures create the look of naturally weathered stone
- Two-sided units create vertical pillars, freestanding walls and outdoor features
- Strong and versatile retaining wall system
- 1/2" setback
- Available by pallet

**Colors**

- Copper Canyon
- Fond du Lac
- Pacific Gray



Retaining Wall Pallet (Sold in sets)	Back	Face Area	Weight	Units/Pallet	Pallet Weight
6 x 9 x 3" H	4" W	0.125 sq. ft.	10 lbs.	12	
12 x 9 x 3" H	10" W	0.25 sq. ft.	22 lbs.	12	
18 x 9 x 3" H	16" W	0.375 sq. ft.	36 lbs.	12	
6 x 9 x 6" H	4" W	0.25 sq. ft.	21 lbs.	12	
12 x 9 x 6" H	10" W	0.50 sq. ft.	42 lbs.	12	
18 x 9 x 6" H	16" W	0.75 sq. ft.	67 lbs.	12	2,475 lbs. (27 sq. ft.)

CORNER PALLET (Sold in sets. One pallet of corner block builds a 24 x 24 x 36" pillar.)

Size	Back	Face Area	Weight	Units/Pallet	Pallet Weight
15 x 9 x 3" H	14" W	0.313 sq. ft.	30 lbs.	16	
15 x 9 x 6" H	14" W	0.625 sq. ft.	58 lbs.	16	1,520 lbs. (24 sq. ft.)

COPING (CAPS) PALLET (Sold in sets. Caps can only be purchased in 11 lineal feet increments.)


Size	Back	Face Area	Weight	Units/Pallet	Pallet Weight
4 x 10.25 x 2.25" H	6" W	0.33 ln. ft.	9 lbs.	24	
12 x 10.25 x 2.25" H	10" W	1.0 ln. ft.	20 lbs.	24	
18 x 10.25 x 2.25" H	16" W	1.5 ln. ft.	30 lbs.	12	1,552 lbs. (33 ln. ft.)
18 x 10.25 x 2.25" H Right End	17" W	1.5 ln. ft.	29 lbs.	6	
18 x 10.25 x 2.25" H Left End	17" W	1.5 ln. ft.	34 lbs.	6	
27 x 27 x 2.5" H Pillar Cap		5.06 sq. ft.	150 lbs.	10	1,550 lbs. (50.6 sq. ft.)

Rosetta Tech Guides available online at: [www.rosettahardscapes.com](http://www.rosettahardscapes.com)

# RETAINING WALL CAPS

Rockwood Retaining Walls

• Available by pallet or layer



#### 4" Universal Cap Colors

- Bluestone
- Brown
- Charcoal
- Gray
- Sandstone
- Sandstone Brown
- Santa Fe

#### 3" Universal Cap Colors

- Beechwood
- Bluestone
- Gray
- Santa Fe

#### 3" Tumbled Cap Colors

- Beechwood
- Bluestone
- Cascade (NEW)
- Santa Fe

#### Mini Cap Colors

- Brown
- Charcoal
- Gray
- Sandstone
- Sandstone Brown

#### Contemporary Wall Cap

- Buff
- Cascade
- Onyx

Cap	Size	Face	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4" Universal Cap	18 W x 11 x 4" H (Front)	1.5 ln. ft.	(Split face front/back)	9	5	45 (60 ln. ft.)	2,480 lbs
	14 W x 11 x 4" H (Back)		54 lbs.				
	To estimate Universal Cap, divide wall length by 1.33						
3" Universal and Tumbled Caps	12 x 12 x 3" H (Front)	1 ln. ft.	(Split face front/back)	12	4	48 (45 ln. ft.)	1,298 lbs.
	10.625 x 12 x 3" H (Back)		26 lbs.				
	To estimate 3" Universal and Tumbled Caps, divide wall length by 1.33						
Mini Cap	8 x 9.25 x 3" H (Front)	0.67 ln. ft.	(Split face front/back)	52	2	104 (60 ln. ft.)	1,630 lbs.
	6 x 9.25 x 3" H (Back)		15.2 lbs.				
	To estimate Mini Cap, divide wall length by 0.58						
Contemporary Wall Cap	24 W x 12 x 2" H	2 ln. ft.	50 lbs.	6	8	48 (96 ln. ft.)	2,400 lbs

# DOT APPROVED WALL CAPS


Rockwood Retaining Wall

- Flat Cap is spec'd in Wisconsin
- Peaked Cap is spec'd in Minnesota and Iowa.

#### Colors

- Sandstone
- Gray

**ROCKWOOD**  
RETAINING WALLS  
*A better way.*



DOT Cap	Size	Face	Weight	Units/Layer	Layers	Units/Pallet	Pallet Weight
4" Flat Cap (Split face front/back)	18 W x 11 x 4" H (Front)	1.33 ln. ft.	55 lbs.	9	5	45 (60 ln. ft.)	2,520 lbs.
	14 W x 11 x 4" H (Back)						
4" Peaked Cap (Split face front)	18 W x 12 x 4" H	1.5 ln. ft.	70 lbs.	8	4	32 (48 ln. ft.)	2,290 lbs.

# WET CAST STEPS


Silver Creek Stoneworks

## Barn Plank Step Colors

- Mahogany
- Weathered Gray

## Chiseled Step Colors

- Bluestone
- Buff (discontinued)
- Indiana Limestone



Available by piece.

Name	Size	Weight	Units/Pallet	Pallet Weight	Details
Barn Plank Step	48 x 18 x 5.75" H	450 lbs.	4	1,850 lbs.	Detailed grain on 5-sides
Chiseled Step	48 x 18 x 5.75" H	450 lbs.	4	1,850 lbs.	One sided/smooth top or three sides/rough top

Notes: Available by pallet only. One and three sided steps CANNOT be used together.

# GRAND STEP

Interlock Concrete Products


- Smooth riser w/front bevel on one side, straight split on the other.

Available by pallet.


## Colors

- Beechwood
- Buff
- Charcoal
- Natural

Split/beveled face riser one side...



...smooth/beveled face riser on the other.



Size	Area	Weight	Units/Pallet	Pallet Weight
48 x 18 x 6" H	6.0 sq. ft.	409 lbs.	6 (32 sq. ft.)	2,504 lbs.

# STEPPING STONES


Silver Creek Stoneworks

- Strong, wet cast reproductions of handcrafted limestone originals
- 1.75" H, average 3.75 sq. ft. ea.
- Four unique shapes, chiseled edge

Full pallets only, CANNOT be double stacked.

## Colors

- Bluestone
- Indiana Limestone
- Buff (discontinued)



Sets	Weight	Sets/Pallet	Pallet Weight
5 each of 4 sets (20)	208 lbs.	5 (75 sq. ft.)	1,090 lbs.


# CHISELED CAPS and TOPS

Silver Creek Stoneworks

- Available by pallet or piece

## Colors

- Bluestone
- Indiana Limestone
- Buff (discontinued)



Name	Size	Face Area	Weight	Units/Pallet	Pallet Weight
25" Pillar Cap	25 x 25 x 2.25" H	4.34 sq. ft.	110 lbs.	6 (26.04 sq. ft.)	710 lbs.
30" Pillar Cap	30 x 30 x 2.25" H	6.25 sq. ft.	125 lbs.	6 (37.50 sq. ft.)	800 lbs.
12" Radius Seatwall Cap	18.75 x 12 x 2.25" H	1.56 sq. ft.	39 lbs.	15 (23.40 sq. ft.)	635 lbs.
12" Straight Seatwall Cap, 2-sided	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
12" Straight Seawall Cap, 3-sided	24 x 12 x 2.25" H	2 sq. ft.	53 lbs.	15 (30 sq. ft.)	845 lbs.
2-sided Bar Top*	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
3-sided Bar Top*	36 x 48 x 2.25" H	12 sq. ft.	327 lbs.	1 (12 sq. ft.)	377 lbs.
Octagon Top*	36 x 36 x 2.25" H	-	238 lbs.	1	238 lbs.
Fire Ring Cap	10 W x 2.25" H		298 lbs.	8	298 lbs.

\*Indiana Limestone color only. Tops and caps CANNOT be double stacked.


# SUPER-STIK ADHESIVE

Product	Item#	Details
10.5 oz. tube	1140001	12/case, 108 cases/pallet
29 oz. tube	1140002	12/case, 44 cases/pallet

# GEO-GRID, SLEEVE-IT

Strata Systems

Sleeve-it is a pre-engineered, wall/fence post anchoring solution.



Product	Item#	Roll Size	Weight	Coverage
Strata Dealer Rolls	1178100	4 x 50'		22.22 sq. yd.
Strata 200	1178010	6 x 300'	95 lbs.	200 sq. yd.
Strata 350	1178300	6 x 300'	100 lbs.	200 sq. yd.
Sleeve-It	SD1	5 units (1 pkg.)	-	45 units/pallet

# SNAP-EDGE PAVER RESTRAINT



SEK Surebond

Product	Item #	Details	Pallets
Paver Edge Restraint 8' piece	ESEPR96-672	24/bundle	28 bundles
Low Profile 6' 8"	ESELP80-672	24/bundle	28 bundles
10" Spikes	SSBR10-150-048	150/box	48 boxes

# BULLNOSE PAVER

Interlock Concrete Products

- Smooth surface, full radius front
- Available by pallet or layer.

## Colors

- Buff
- Brown
- Natural
- Onyx



Size	Face Area	Weight	Units/Layer	Layers	Units/Pallet	Pallet	Pallet Weight
12 x 6 x 2.375" H	0.50 sq. ft.	13.06 lbs.	48	3	144	72 sq. ft.	1,930 lbs.

# BULLET EDGER

Interlock Concrete Products

Available by pallet.

## Colors

- Beechwood
- Buff
- Carmel
- Charcoal
- Natural (new)



Size	Unit In. ft.	Weight	Units/Layer	Layers	Units/Pallet	Pallet In. ft.	Pallet Weight
4 x 12.25 x 4" H	0.9375 In. ft.	14 lbs.	36	5	180	168.75 In. ft.	2,570 lbs.

To estimate number of units, divide In. ft. by 0.9375.

# CLASSIC EDGER

Rockwood Retaining Walls

- Patented T-lock design helps prevent frost heave
- Available by pallet.

## Colors

- Brown
- Charcoal
- Gray
- Red/Black
- Sandstone

**ROCKWOOD**  
RETAINING WALLS  
*A better way.*



Size	Unit In. ft.	Weight	Units/Layer	Layers	Units/Pallet	Pallet In. ft.	Pallet Weight
4 x 10 x 2.75" H	0.83 In. ft.	9 lbs.	48	5	240	200 In. ft.	2,223 lbs.

Estimate the Classic Edger, divide lineal ft. by 0.83.

# TUMBLLED GRANITE EDGER

Rockwood Retaining Walls

- Smooth sides, split face, tumbled
- Available by pallet.

## Colors

- Bluestone
- Santa Fe



Size	Weight	Units/Layer	Layers	Units/Pallet	Pallet	Pallet Weight
12 x 4 x 4" H	16 lbs.	32	5	160	160 In. ft.	2,610 lbs.

# SANDS, SEALERS, CLEANERS, BASE, ADHESIVES and EDGING



<b>SAND</b> (call for pallet weights)	<b>Item Number</b>	<b>Package</b>	<b>Min. Qty.</b>	<b>Pallets</b>
G2 Supersand Beige	G2SUPERSAND001B	50 lb. Bag	1	56 bags
G2 Supersand Gray	G2SUPERSAND002G	50 lb. Bag	1	56 bags
Nitro Sand Beige	GATORNITR0001	40 lb. Pail	1	48 Pails
Nitro Sand Grey	GATORNITR0002	40 lb. Pail	1	48 Pails
Nitro Sand Black	GATORNITR0003	40 lb. Pail	1	48 Pails

## **GATOR DUST BOND** (Large joint application)

Beige	GATOR001	50 lb. Bag	1	56 bags
Gray	GATOR002	50 lb. Bag	1	56 bags

## **G2 GATOR MAXX BOND**

Beige	G2GATORMAXX01	50 lb. Bag	1	56 bags
Gray	G2GATORMAXX02	50 lb. Bag	1	56 bags
Ivory	G2GATORMAXX03	50 lb. Bag	1	56 bags
Black Diamond	G2GATORMAXX04	50 lb. Bag	1	56 bags

## **BASE**

Gator Base	GATORBASE01	10/pkg	1 pkg	12 packages
Gator Base Screws	GATORSCREW001	50/pkg	1 pkg	40 cases (20 pkg's ea.)

## **BINDERS**

Rock Bond (Binder Only)	GATORROCK02	1 gal.	Box (4)	24 boxes /96 gals.
Rock Bond Kit (Binder & Rock)	GATORROCK05	1 pail	1 pail	48 pails/240 gals.
Stone Bond XP pail	SUPERB-07	5 gal.	1 pail	48 pails/240 gals.
Stone Bond XP	SUPERB-09	1 gal.	Box (4)	24 boxes /96 gals.

## **CLEANERS**

Efflorescence Cleaner	GATORCLEAN03	1 gal.	Box (4)	24 boxes /96
Efflorescence Cleaner	GATORCLEAN04	5 gal. pail	1 pail	48 pails
Cleaner Shampoo	GATORCLEAN07	1 gal.	Box (4)	24 boxes /96
Cleaner Shampoo	GATORCLEAN08	5 gal. pail	1 pail	48 pails
Rubber, Paint & Tar Remover	GATORCLEAN01	1 qt.	Box (6)	24 boxes /144
XP Oil & Grease Remover	GATORCLEAN0212	1 qt.	Box (6)	24 boxes /144
Rust Remover	GATORCLEAN51	1 qt.	Box (6)	24 boxes /144
Gatorene	GATORCLEAN10	1 gal.	Box (4)	24 boxes /96

## **SOLVENT BASED SEALERS**

Seal Satin Look	GATORSEAL06	1 gal.	Box (4)	24 boxes /96
Seal Satin Look	GATORSEAL05	5 gal. pail	1 pail	48 pails
Seal Wet Look	GATORSEAL02	1 gal.	Box (4)	24 boxes /96
Seal Wet Look	GATORSEAL01	5 gal. pail	1 pail	48 pails
Seal Re Sealer	GATORRESEALER02	1 gal.	Box (4)	24 boxes /96
Seal Re Sealer	GATORRESEALER01	5 gal. pail	1 pail	48 pails

## **WATER BASED SEALERS**

Seal Natural Look	GATORSEAL04	1 gal.	Box (4)	24 boxes /96 gals.
Hybrid Enhancer + Low Gloss	GATORHYBRID40	1 gal.	Box (4)	24 boxes /96 gals.
Hybrid Enhancer + Low Gloss	GATORHYBRID41	5 gal. pail	1 pail	48 pails/240 gals.
Seal Natural Stone Enhancer Zero Gloss	GATORSEAL50	1 gal.	Box (4)	24 boxes /96 gals.
Seal Wet Cast Sealer Zero Gloss	GATORSEAL60	1 gal.	Box (4)	24 boxes /96 gals.
Seal Wet Cast Sealer Zero Gloss	GATORSEAL61	5 gal. pail		48 pails/240 gals.

## **NAILS**

Nails Common 10 (180/box)	NAIL COM 10	50 lbs. box	1 box	48 boxes
Nails Common 12 (130/box)	NAIL COM 12	50 lbs. box	1 box	48 boxes
Nails Spiral 10 (250/box)	NAIL SPIR 10	50 lbs. box	1 box	48 boxes
Nails Spiral 12 (210/box)	NAIL SPIR 12	50 lbs. box	1 box	48 boxes



## ADHESIVES

Block Bond XP Polyurethane Low VOC-Black (12 Tubes)	GBBXP 10.3	10.3 oz.	1 case	90/pallet
Block Bond XP Polyurethane Low VOC-Black (12 Tubes)	GBBXP28	28 oz.	1 case	60/pallet

## EDGING


Gator Edge Rigid	GATOREDGE001	8" length	24 pcs./bundle	672/pallet
Gator Edge Flex	GATORFLEX001	8" length	24 pcs./bundle	672/pallet
Gator Edge Mini-Pro	GATOREDGE003	8" length	24 pcs./bundle	384/pallet
Gator Tile Edge	GATOREDGE007	8" length	24 pcs./bundle	28/Pallet
Gator Extreme Edge	GATOREXTEME01	50 lb. Bag	-	-

## CHIPS

Aqua Rock for Permeable Pavers (Granite Gray)	GATORAQUA01	50 lbs. bag	1 bag	56 bags
---	-------------	-------------	-------	---------

## GATOR BASE

- Acts like a big snowshoe and actually replaces 6" of crushed aggregate base
- Will outperform an aggregate base in freeze/thaw cycles
- Easy to work with... all types of weather, walk on it, slide pavers into place, etc.
- Saves labor, speeds up installation considerably
- Gator Base Screws secure Gator Base's outside perimeter, creating strong lateral support.
- Pedestrian use only



## GATOR EDGE

- Use Gator Edge rigid or flexible (1-1/2" profile) in typical paving applications
- Use Gator Edge Mini (1" profile) with natural stone of all types
- Use Gator Tile Edge (5/8" profile) with porcelain tile
- All 3 profiles can be used with Gator Screws for a secure connection on Gator Base

[www.alliancegator.com](http://www.alliancegator.com)



## NITRO SAND

- Can be applied in wet or dry weather
- Must be applied on wet paving
- Great for use in open-graded base applications
- Permeable upon installation
- Cures solid within 18 hours
- Leftover sand can be stored for future use



## XTREME EDGE

- Great for use in open-graded base applications
- Great for use on flagstone paving applications
- Poly-modified concrete provides flexibility
- Smaller fractured aggregates provide workability
- 3-D matrix fibers expand during mixing and provide durability
- A 50 lb. bag mixes easily and quickly with only a half-gallon of water

## GATOR BLOCK BOND XP ADHESIVE

- High strength polyurethane and low VOC
- Permanent bond in 24 hours
- Apply to damp substrates
- Use with steps, wall courses and caps, pool coping and paver overlays



## G2 GATOR MAXX

- For use in patio, walkway, pool deck and terrace applications
- For use in driveway and motor court applications
- For use in steep slope, street and commercial applications
- Use with concrete pavers, clay pavers and wet cast pavers
- One watering
- 15-minutes rain safe
- Haze free



# NECESSARIES OUTDOOR LIVING KITS

Rockwood Retaining Walls

NECESSARIES IS A COLLECTION OF AFFORDABLE, READY-TO-ASSEMBLE OUTDOOR FIREPLACES, ISLAND BARS AND GRILLS, KITCHENS, TABLES, WATERFALLS, FIRE RINGS, SEATWALLS AND PILLARS KITS.

### AFFORDABLE LUXURY

Necessaries kits are both beautiful and functional, turning backyards into attractive and enjoyable outdoor living spaces. Also, Necessaries come ready-to-assemble with everything needed to build, making them easier to install and more affordable than typical masonry structures.

### EASY TO BUILD

Each Necessaries Outdoor Living Kit comes complete with everything you need to build, including precut block sized to fit, reinforcements, adhesive, and easy-to-read, step-by-step instructions. Most kits can be built by two people in an afternoon, or less.

### EXPAND ANYTIME


You can build your project all at once or add new features over time. Because of Necessaries' modularity, expanding your outdoor living space is easy to do whenever you are ready.

### EARTHY COLORS


Necessaries kits feature Rockwood Retaining Walls' multi-piece, tumbled Lakeland and Riverland wall systems in: Beechwood, Bluestone or Santa Fe.

### Convenient standard features

- Easy-to-read, step-by-step instructions
- Rockwood's multi-piece tumbled Lakeland block
- Premium stainless steel grills and components
- Concrete precut and reinforcements sized to fit
- VOC compliant adhesive and gloves
- Mantels, tops and caps are cast from Indiana limestone originals



**PROPOSITION 65 WARNING:** These Products, the fuel used in this Products and other wood and charcoal burning appliances, and the combustion products of such fuels contain chemicals known to the State of California to cause cancer, or birth defects or other reproductive harm.



# GRAND FIREPLACE


KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

Rockwood Retaining Walls

### Features

- Includes Majestic Products Villawood 36" stainless steel wood-burning insert, log rack and spark curtain. Adaptable for natural or LP gas.
- 4' stainless stovepipe chimney
- Spark suppressor cap
- Optional Gas burner log set
- Optional **Grand Wood Box Kit** available left or right side
- Optional **Grand Hearth Kit**

Colors: Beechwood, Bluestone, Santa Fe



Grand Fireplace	Size	Pallets/Weight	Build Time
Fireplace (Interior: 33 W x 16 D x 19" H)	60 x 36 x 102" H	5 (9,677 lbs.)	8 hrs.
Hearth	60 x 20 x 10" H	1 (709 lbs.)	3 hrs.
Woodbox (Interior 24 W x 28 D x 24" H)	40 x 36 x 50" H	2 (4,061 lbs.)	1 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. Kits cannot be returned.

# COLONIAL FIREPLACE KITS


Rockwood Retaining Walls

**Features**

- 2.25" fire brick protects block
- Optional **Woodbox Kit** available left or right side
- Optional **Hearth Kit**
- **Gas Burning Option\***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000/49,000 max Btu's
  - 18" iron log rack
  - Arizona Weathered Oak ceramic log set

**Colors:** Beechwood, Bluestone, Santa Fe

KITS CAN BE ORDERED WITH OR WITHOUT TOPS.



Colonial Fireplace	Size	Pallets/Weight	Build Time
Fireplace (Interior: 29 W x 18.5 D x 26.5" H)	40 x 32 x 70" H	2 (4,360 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (Interior: 24 W x 24 D x 28" H)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs.

# COMPACT FIREPLACE KITS


KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

Rockwood Retaining Walls

**Features**

- 2.25" fire brick protects block
- Optional **Woodbox Kit** available left or right side
- Optional **Hearth Kit**
- **Gas Burning Option\***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000/49,000 max Btu's
  - 18" iron log rack
  - Arizona Weathered Oak ceramic log set

**Colors:** Beechwood, Bluestone, Santa Fe



Compact Fireplace	Size	Pallets/Weight	Build Time
Fireplace (Interior: 29 W x 18.5 D x 26.5" H)	40 x 32 x 70" H	2 (3,735 lbs.)	3 hrs.
Hearth	40 x 12 x 6" H	1 (295 lbs.)	0.5 hr.
Woodbox (Interior: 24 W x 24 D x 28" H)	32 x 32 x 34" H	1 (1,665 lbs.)	1 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. Kits cannot be returned.

**KITS CANNOT BE RETURNED!**

# VICTORIAN FIREPLACE KITS


Rockwood Retaining Walls

**Features**

- 2.25" fire brick protects block
- Optional **Woodbox Kit** available left or right side
- Optional **Hearth Kit**
- **Gas Burning Option\***
  - NG or LP conversion kit, all connections and instructions
  - 2 burner, 52,000/49,000 max Btu's
  - 18" iron log rack
  - Weathered Oak ceramic log set

**Colors:** Beechwood, Bluestone, Santa Fe

KITS CAN BE ORDERED WITH OR WITHOUT TOPS.



Victorian Fireplace	Size	Pallets/Weight	Build Time
Fireplace (Interior: 31 W x 17.5 D x 29.5" H)	52 x 32 x 89" H	5 (6,610 lbs.)	8 hrs.
Hearth	52 x 18 x 10" H	1 (580 lbs.)	1 hr.
Woodbox (Interior: 24 W x 24 D x 32" H)	32 x 32 x 42" H	2 (2,190 lbs.)	3 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

# SEATWALL and PILLAR KITS

KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

Rockwood Retaining Walls

**a. 20" Pillar Kit**

- 2.25" H chiseled cap

**b. 20" Pillar with Glass Kit** (lights not included)

- Pittsburgh Corning Premiere 8" glass block
- 2.25" H chiseled cap

**c. 24" Pillar Kit**

- 2.25" H chiseled cap


**d. Lakeland Seatwall Kit**

- Creates a 6' straight wall
- Optional chiseled cap

**e. Riverland Seatwall Kit**

- Creates an 8' radius wall
- Optional chiseled cap

**Colors:** Beechwood, Bluestone, Santa Fe



Kit	Size	Pallets/Weight	Build Time
20" Pillar Kit (w/25 x 25 x 2.25" top)	20 x 20 x 38" H	1 (1,260 lbs.)	0.5 hr.
20" Pillar w/ Glass (w/25 x 25 x 2.25" top)	20 x 20 x 38" H	1 (1,150 lbs.)	0.5 hr.
24" Pillar Kit (w/30 x 30 x 2.25" top)	24 x 24 x 39" H	1 (1,665 lbs.)	0.5 hr.
Lakeland Seatwall Kit	72 x 8 x 20" H	1 (1,075 lbs.)	0.5 hr.
Riverland Seatwall Kit	108 x 8 x 20" H	1 (1,400 lbs.)	0.5 hr.

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

# FIRE RINGS KITS

## Rockwood Retaining Walls

### Grand Fire Ring Kit Features

- One-piece, heavy gauge, 48" D x 12" H Solid steel insert protects block (30.5" interior dia. x 8" H, 1.5" flang)
- Optional **Fire Ring Block Layer** – add layers to increase height
- Optional **Fire Ring Cap** – chiseled edge, eight-piece, in three colors, 2.25" H
- Optional **Swivel Cooking Grate** – removable, heavy steel construction, ADA compliant
- Optional **E-Z Access Spark Screen** – keep ash and sparks inside and debris out, hinged for easy access
- Optional **Cover** – heavy galvanized steel with or without cooking grate slot

Colors: Beechwood, Bluestone, Santa Fe, Onyx

### Grand Gas Fire Ring Kit (Not suitable for commercial installations)

- Push-button electronic ignition
- 65,000 max Btu/hr, natural gas or LP
- Thermo-couple auto shut-off safety feature
- #304 stainless steel construction
- All connections and fittings preassembled
- 50 lbs. lava rock
- Optional **Fire Ring Cap** – chiseled edge, eight-piece, in three colors, 2.25" H
- Optional **Arizona Weathered Oak Log Set**



Colors: Beechwood, Bluestone, Santa Fe, Onyx

### Victorian Fire Pit Kit Features


- Four-piece, heavy gauge, solid steel insert protects block
- Optional **Swivel Cooking Grate**

Colors: Beechwood, Bluestone, Onyx, Santa Fe


### Barn Plank Wall Fire Pit Kit Features

- Four-piece, heavy gauge, solid steel insert protects block
- Optional **Swivel Cooking Grate**


Colors: Mahogany, Weathered Gray



Grand Fire Ring




Grand Gas Fire Ring



Victorian Fire Pit

Barn Plank Wall Fire Pit



Kit	Size	Pallets/Weight	Build Time	Details
Grand (block only)	48 x 12" H	1 (1,019 lbs.)	0.5 hr.	Without steel insert
Grand Fire Ring	48 x 12" H	1 (1,057 lbs.)	0.5 hr.	With steel insert
Grand Fire Ring	48 x 12" H	1 (1,085 lbs.)	0.5 hr.	With insert and swivel cooking grate
Grand (one layer)	48 x 4" H	1 (346 lbs.)	-	19 Lakeland Fire Ring Block
Victorian Fire Pit (block only)	48" W x 12" H	1 (1,285 lbs.)	0.5 hr.	Without steel insert
Victorian Fire Pit	48" W x 12" H	1 (1,310 lbs.)	0.5 hr.	With insert and swivel Cooking Grate
Grand Gas Fire Ring	48 x 20" H	1 (1,710 lbs.)	0.5 hr.	Natural Gas
Barn Plank Wall Fire Pit	48 x 12" H	1 (1,255 lbs.)	0.5 hr.	With steel insert
Barn Plank Wall Fire Pit	48 x 12" H	1 (1,525 lbs.)	0.5 hr.	With steel insert and swivel cooking grate

Options/Accessories	Size	Weight	Details
Fire Ring Cap (Cannot be double stacked)	10 W x 2.25" H	298 lbs.	In Indiana Limestone, Bluestone, or Buff.
Grand Cover	37.9 dia. x 2.88" H	27 lbs.	Heavy galvanized steel
Grand Cover w/Slot	34.9 dia. x 1.88" H	27 lbs.	Heavy galvanized steel, slotted for swivel cooking grate
Grand Swivel Cooking Grate	19.25 x 17.5 x 2" H	10 lbs.	300 sq. in. ADA approved swivel cooking grate, removable
Grand Steel Ring Insert	33.5 x 33.5 x 8.5" H	34 lbs.	Solid 10-gauge steel with 1" top lip, boxed
E-Z Access Spark Screen	40 x 18" H	22 lbs.	Hinged spark screen
LP Gas Conversion Kit			O-Ring conversion to LP
AZ Weathered Oak Gas Log Set	16" H	36 lbs.	9 pc. 16" height of log stack
Victorian Swivel Cooking Grate	19.25 x 17.5 x 2" H	10 lbs.	300 sq. in. ADA approved swivel cooking grate, removable
Victorian Steel Insert	33.5 x 33.5 x 8.5" H	34 lbs.	Solid 10-gauge steel with 1" top lip, boxed

Build time assumes two people with limited skills and base work is complete prior to construction. **Kits cannot be returned.**

# GRAND ISLAND BAR SERIES KITS

Rockwood Retaining Walls

## Features

### a) Grand Island Bar/Grill with Storage Kit\*

- Summerset Pro Sizzler 32" grill
- Stainless steel double doors - vented

### b) Grand Island Bar/Grill with Refrigerator Opening Kit\*

- Summerset Pro Sizzler 32" grill
- Stainless steel double doors - vented
- Optional Refrigerator (24" x 36" x 28" H opening)



KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

See page 51 for Summerset Pro Sizzler grill features.

### c) Grand Island Bar 8' Kit

### d) Grill Surround Kit

- For standing grills, 60" opening

### e) Corner Return Kit\*\*\*


- Makes L-shaped bar/grill

### f) Bar Section 4' Kit\*\*

- Left or right facing

## Colors

- Beechwood
- Bluestone
- Santa Fe



Name	Size	Pallets/Weight	Build Time	Details
Grand Island Bar	96 x 48 x 46" H	3 (7,271 lbs.)	6 hr.	
Grand Island Bar w/Grill & Storage*	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.	w/32" Pro Sizzler grill
Grand Island Bar w/Grill & Refrigerator Opening	96 x 48 x 46" H	4 (7,341 lbs.)	7 hr.	w/32" Pro Sizzler grill
Grand Island Grill Surround	96 x 48 x 46" H	2 (4,915 lbs.)	4 hr.	Fits 60" freestanding grill
Bar Section 4' Section**	48 x 48 x 46" H	1 (3,780 lbs.)	4 hr.	
Grand Island Bar Corner Return***	48 x 48 x 46" H	2 (5,140 lbs.)	6 hr.	

\*Please designate LP or NG grill at time of order. \*\* Must specify left side or right side when ordering.


\*\*\* Corner return edges are not finished, cannot use alone.

# WOODBBOX/STAND KITS


KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

Rockwood Retaining Walls

Colors: Beechwood, Bluestone, Santa Fe



a) Silver Creek Top



b) Granite Top

a) Silver Creek Chiseled Edge Top	36 x 32 x 34" H	1 Pallet: (7,271 lbs.)	Build Time: 1 hr.
b) Granite Top (Kitchen Kit)	32 x 28 x 37" H	1 Pallet: (1,830 lbs.)	Build Time: 1 hr.

# WATERFALL KITS

KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

Rockwood Retaining Walls

## Grand Waterfall Kit Features



- 1,350 gph mag drive pump
- 48" half-round basin
- 23" stainless steel spillway
- Optional LED light kit; blue or white

## Compact Waterfall Kit Features

- 850 gph mag drive pump
- 26" square basin
- 11" stainless steel spillway
- Optional LED light kit; blue or white

Waterfall kits include all plumbing/connections.

Colors: Beechwood, Bluestone, Santa Fe



Name	Size	Pallets/Weight	Build Time
Grand Water Feature	98" x 48" x 32" H	3 (3,475 lbs.)	4 hrs.
Compact Water Feature	64" x 40" x 28" H	1 (1,660 lbs.)	3 hrs.

Build time assumes two people with limited skills and base work is complete prior to construction. Kits cannot be returned.





# BISTRO TABLE, DINING TABLE and COMPACT BAR KITS

Rockwood Retaining Walls

KITS CAN BE ORDERED WITH OR WITHOUT TOPS.

## Colors


- Beechwood
- Bluestone
- Santa Fe




Name	Size	Pallets/Weight	Build Time	Details
Pub/Bistro Table	36 x 36 x 42" H	1 (1,515 lbs.)	1 hr.	Also builds 30" H Bistro Table
Compact Bar	48 x 24 x 38" H	1 (2,830 lbs.)	2 hrs.	Build open or closed front
Dining Table	36 x 96 x 30" H	1 (2,870 lbs.)	2 hrs.	Seats eight

Build time assumes two people with limited skills and base work is complete prior to construction. Kits cannot be returned.


All dimensions shown in inches.




Grand Fireplace




Victorian Fireplace




Colonial Fireplace




Compact Fireplace




Victorian Fire Pit




Grand Fire Ring




Grand Gas Fire Ring




Barn Plank Wall Fire Pit



24 Pillar



20 Pillar




20 Pillar w/ Glass




Kits are not suitable for commercial installations.  
All dimensions shown in inches.  
Features and specifications subject to change.







Grand Island Bar Grill




Grand Island Bar Grill w/Storage




Grand Island Bar Corner Return




Grand Island Bar 4' Section




Grand Island Bar




Grand Island Grill Surround





Dining Table




Compact Bar




Riverland Seatwall




Pub/Bistro Table




Woodbox Stand



Lakeland Seatwall




Compact Waterfall



Grand Waterfall

# THE KITCHEN IS A COLLECTION OF GRANITE-TOPPED CABINET KITS FOR BACKYARD BAKING, GRILLING, DINING AND ENTERTAINING.



ELEGANT, FUNCTIONAL AND AFFORDABLE, THESE QUALITY COMPONENTS AND CABINETS ARE READY TO ASSEMBLE IN ANY CONFIGURATION YOU CAN IMAGINE.

## Affordable luxury

The Kitchen by Necessaries is beautiful, functional and turns backyards into attractive and enjoyable outdoor living spaces. These cabinets come ready to assemble making them easier to install and more affordable than typical masonry structures.

## Easy to build

The Kitchen is a series of individual cabinet kits that come complete with everything needed to build, including precut block and granite tops sized to fit, reinforcements, adhesive, and easy-to-read, step-by-step instructions. Depending on the complexity, most kitchens can be built in a day or less.

## Expand at anytime

Build your Kitchen all at once or add new features over time. Because of their modularity, expanding your outdoor cooking and entertaining space is easy to do at any time.

## Earthy colors

The Kitchen features Rockwood Retaining Walls' multi-piece, tumbled Lakeland wall block. Its linear design and aged appearance fit well in landscapes of any style or decor.

## Convenient standard features

- Easy-to-read, step-by-step instructions
- Rockwood's multi-piece tumbled Lakeland block
- Premium stainless steel grills and components
- High-grade 3cm granite tops
- Concrete precut and reinforcements sized to fit
- VOC compliant adhesive and gloves



# KITCHEN CABINET KITS

KITS CAN BE ORDERED WITH OR WITHOUT GRANITE TOPS.

## Rockwood Retaining Walls

A collection of granite-topped cabinets for backyard baking, grilling, dining and entertaining. Elegant, functional and affordable, these quality components and cabinets are ready to assemble in any configuration you can imagine.

### Features

- Easy-to-read, step-by-step instructions
- Premium stainless steel grills and components
- Concrete precut and reinforcements sized to fit
- VOC-compliant adhesive and gloves
- High-grade, 3cm Solid Granite Tops in Black Pearle or Viscon White

### Cabinet Colors

- Beechwood
- Bluestone
- Santa Fe



Full specifications available online at: [www.kitchen.outdoorlivingkits.com](http://www.kitchen.outdoorlivingkits.com)

Kit	Size	Pallets	Weight	Build Time
<b>40" Pro Sizzler Grill Cabinet (5 burner)</b> Summerset Sizzler Pro 40" Grill, 30" vented double doors, grill cover, 12,000 max Btu	56 x 28 x 37" H	2	2,890 lbs.	6 hrs.
<b>32" Pro Sizzler Grill Cabinet (4 burner)</b> Summerset Sizzler Pro 32" Grill, 30" vented double doors, grill cover, 12,000 max Btu	48 x 28 x 37" H	2	2,535 lbs.	5 hrs.
<b>Side Burner Cabinet</b> #304 stainless steel construction. Push-to-turn knob ignition, easy-glide drawers, 30,000 Btu/hr solid brass burners. 19.5" x 10.5" cooking surface.	32 x 28 x 37" H	2	1,905 lbs.	4 hrs.
<b>Prep Center Cabinet</b> Double drawer/door combo.	48 x 28 x 37" H	2	2,270 lbs.	5 hrs.
<b>Prep Center Cabinet w/Sink</b> Double drawer/door combo, sink and fixture.	48 x 28 x 37" H	2	2,295 lbs.	6 hrs.
<b>Refrigerator Cabinet</b>	32 x 28 x 37" H	1	1,035 lbs.	4 hrs.
<b>Two Drawer Cabinet</b> Easy-glide stainless steel drawers. Fully enclosed stainless steel outside.	32 x 28 x 37" H	2	1,985 lbs.	5 hrs.
<b>Trash Cabinet</b> Easy-glide pullout drawer. Accommodates a 12-gallon trash can.	28 x 28 x 37" H	2	1,110 lbs.	3 hrs.
<b>Smoker Cabinet</b> (smoker not available or included)	40 x 28 x 37" H	1	2,120 lbs.	4 hrs.
<b>Woodbox/Stand Cabinet</b>	32 x 28 x 37" H	1	1,830 lbs.	4 hrs.
<b>Corner Cabinet</b>	28 x 28 x 37" H	1	1,935 lbs.	4 hrs.
<b>Island Cabinet</b> Double drawer/door combo. Base size 65 W x 32.50" D.	90 x 45.5 x 37" H	4	4,320 lbs.	8 hrs.
<b>Island Cabinet w/Sink</b> Double drawer/door combo, sink and fixture.	90 x 45.5 x 37" H	4	4,335 lbs.	9 hrs.
<b>Deluxe Rotisserie Kit</b> (optional) #304 stainless steel, heavy-duty motor, 25 lb. capacity.				
<b>Grill Cover</b> (replacement)				

Build time assumes two people with limited skills and base work is complete prior to construction.

Kits are not designed for commercial installations and applications. Kits cannot be returned.

## KITCHEN GRILL KITS FEATURE SUMMERSET PRO SIZZLER GRILLS WITH FEATURES THAT EVERY BACKYARD CHEF WILL LOVE.

### Summerset Pro Sizzler Grills:

- #443 and 304 stainless steel construction
- Push-to-turn knob ignition 3" Heat Indicator
- 14,000 BTU #304 cast stainless steel burners
- 15,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors

- LED exterior lights
- Heat zone separators
- Twin Interior cooking lights

### Deluxe Rotisserie: (optional)

- #304 stainless steel, heavy-duty motor and 25 lb. capacity


Pro Sizzler features and rotisserie require 120 volt electrical




 SUMMERSET




the **kitchen**<sup>™</sup>  
by necessities




40" Sizzler Pro Grill Cabinet




32" Sizzler Pro Grill Cabinet



Woodbox/Stand Cabinet




Side Burner Cabinet




Smoker Cabinet  
(Smoker not available)




Kits are not suitable for commercial installations.  
All dimensions shown in inches.  
Features and specifications subject to change.




Prep Center Cabinet  
(Optional sink)




Refrigerator Cabinet  
(Refrigerator not available)




Corner Cabinet



Two Drawer Cabinet



Island Cabinet  
(Optional sink)



Trash Drawer Cabinet

# CALCULATING PAVER MATERIALS

---

Use the following methods to estimate the amount of materials you will need for your project.

## EXCAVATION DEPTH GUIDE

---

Gravel Base: Use minimum depths in a well-drained area or undisturbed soil. Use maximum depths in poorly drained area or disturbed soil. ½" less is required to compensate compacting of pavers. If soil is saturated more than 50% of the time, filter fabric and extra base should be used.

	Pedestrian Traffic	Light Vehicular Traffic
Pavers	2-3/8"	2-3/8"
Sand	1"	1"
Gravel Base (compacted)	4" - 6"	8" - 12"
Total Excavation Depth	7" - 9"	11" - 15"

## BASE MATERIAL CALCULATOR

---

### Granular Base:

Square Footage of Pavers (x) (depth of base ÷ 12) ÷ 27 = Cubic Yards of Base Needed

### Bedding Sand (1" depth):

Square Footage of Pavers (x) 0.0031 = Cubic Yards of Sand Needed

## EDGE RESTRAINT CALCULATOR

---

Length of restrained pavers (ft.) (÷) 8 = Pieces of SnapEdge

Note: Use one spike for every foot of retained pavers.

## CALCULATE BORDERS AND ACCENTS

---

Length of Border (ft.) (÷) Length of Product (ft.) = Number of units

Example: Cobble Stone Border

30	÷	0.83	=	36
Length of Border (ft.)		Length of Product (ft.)		Number of units

# CALCULATING RETAINING WALL MATERIALS

Use the following methods to estimate the amount of base material, drainage rock, and adhesive you will need for your project.

## BASE MATERIAL CALCULATOR

A typical trench is 2' wide and 14" deep to bury a full course of 8" block. Your base material must be a minimum of 6" in height.

$$\frac{\text{Wall Length in ft.}}{\text{Base Height in ft.}} \times \frac{\text{Base Width in ft.}}{27} = \text{Cubic Yards*}$$

\*Add 10% for inconsistencies in the trench and compaction.

## DRAINAGE ROCK CALCULATOR

You need enough drainage rock to fill 1' behind the tail of the block and to fill any cores.

$$\frac{\text{Wall sq. ft.}}{27} \times 1.33 = \text{Cubic Yards}$$

## ADHESIVE CALCULATOR

The amount of adhesive required depends on type of block and construction. Use the guide below to estimate the amount of adhesive required.

Approximate length of bead by width:


Tube Size	Bead Widths/Tube		
	1/8"	1/4"	3/8"
10.5 oz.	129 ft.	32 ft.	14 ft.
29 oz.	355 ft.	89 ft.	39 ft.

Packaging	Tubes	
	10.5 oz.	29 oz.
Tubes/Case	12	12
Cases/Pallet	108	44

## ONLINE HARDSCAPES CALCULATOR


Quickly and easily calculate paver and materials requirements from your desktop or mobile device. Send yourself a PDF of the results for your project planning.

Go to: [www.rochesterpc.com/estimator/](http://www.rochesterpc.com/estimator/)




# ROCKWOOD 6 & 8 - BASIC INSTALLATION

## 20" PILLAR CONSTRUCTION




### Step 1 - Create a (Corner) Pillar Block

If you need to create corners on the job site, see instructions on previous page on how to create Corner Blocks.



### Step 2 - Excavating and Site Preparation


Follow the steps for a leveling pad installation, as described in basic wall installation. Lay the first four pillar blocks with the split faces exposed to create the foundation for the 20" Pillar.



### Step 3 - Successive Course Installation


Stagger the pillar blocks so a running bond is maintained. Adhere all blocks with Super-Stik™.

## HALF-BLOCK PILLAR CONSTRUCTION




### Step 1 - Create a Half Block

If you need to create Half Blocks on the job site, be sure you have Base Block.



### Step 2 - Excavating and Site preparation


Follow the steps for a leveling pad installation, as described in basic wall installation. Lay the first four Half Blocks with the split faces exposed to create the foundation for the Half Block Pillar.



### Step 3 - Successive Course Installation


Stagger the Half Blocks so a running bond is maintained. Adhere all blocks with Super-Stik™.

## BUILDING 90° CORNERS




### Base Course Preparation with Corner Block

Begin an **outside corner** from the corner of the wall and install the blocks from the corner out when possible.



### Successive Course Installation


Stagger the Corner Block as each successive course is installed so it is on the opposite side of the wall corner. Length adjustments to the Corner Block may be necessary to maintain a running bond.



### Base Course Preparation


Begin an **inside corner** from the corner of the wall and install the blocks from the corner out when possible. Only half of a whole block installed on the corner will be exposed. This is true of each successive block that is staggered in the corner.





#### Step 4 - Capping a 20" Pillar


A 20" Pillar may be capped with Universal Caps, stone, or other prefabricated products. Adhere caps with Super-Stik™.



#### Creating a Pillar Cap Block


Pillars may be capped with 20" Universal Caps, stone or other prefabricated products. Adhere caps with Super-Stik™.

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*



#### Step 4 - Capping a Half Block Pillar


A Half Block Pillar may be capped with Universal Caps, stone or other prefabricated products. Adhere caps with Super-Stik™.



#### Successive Course Installation


Gaps will develop in successive courses, which will require a "wedge" block to fill the gap. Measure the gap and cut a block to fill the gap. Adhere cut block with Super-Stik™. Depending on the height of the wall, the "wedge" block will eventually become the same size as a whole block, then the process repeats itself.

## ADJUSTING SETBACK FOR NEAR VERTICAL WALLS



Rockwood blocks offer the unique ability to modify the facing batter of a wall. This is especially useful in stair step and egress window applications. For 6" tall Blocks, adjust setback by 3/4". For 8" tall Blocks, adjust setback by 1". The setback is determined by how much material is removed.

To adjust the setback, modify the two blocks below the successive course by splitting at the grooves on the top of each block. NEVER ALTER THE ANCHOR BAR! Doing so will adversely affect the performance of the wall.




**Note:** For complete retaining wall installation instructions, request a copy of the manual for the block system you are building with.


Available online at: [www.rochesterpc.com/install](http://www.rochesterpc.com/install)

# ROCKWOOD 6 & 8 - BASIC INSTALLATION


## CREATING HALF, BASE and CORNER BLOCKS



**To create a Base Block**, position the block so the Anchor Bar is facing up. Remove the Anchor Bar with a hammer and chisel as shown – wear protective equipment when modifying the block.




**To create a Half Block**, make a score line in the middle of the block, from front to back and on both sides. Split as shown. Wear protective equipment when splitting.




**To create a Corner Block**, make score lines on both splitting grooves and behind the head of the block. Split the block on both top and bottom sides, as shown. A hammer and chisel, or a hand splitter may be used to create the block. Wear protective equipment when splitting.

## BASIC INSTALLATION




### Base Course Installation

The base course will consist of base block. Use a string line behind the tail of the block for alignment on straight wall applications. All blocks should rest firmly on the pad and be centered to allow 6" of base material in front and 6" behind the Base Block. Level each block, side-to-side, front-to-back and across three full blocks with a hand level. A rubber mallet may be used to level and align the blocks.




### Core and Drainage Fill

Place 3/4" to 1" clean aggregate (crushed rock) within the cores and a minimum of 12" behind the blocks. This creates a drainage zone and Stone Columns that helps to unify and maximize the performance of the wall.




"Stone Columns" are an integral part of a Rockwood Retaining wall; adding support and stability to the wall.

## STEPPING A WALL




A Half Block or Corner Block may be used to end a course in a Rockwood application.



Double stack 4" tall Universal Caps as an end cap to finish courses of 8" tall blocks.

**ROCKWOOD®**  
RETAINING WALLS  
*A better way.™*


# VINTAGE 6 - BASIC INSTALLATION



Note: Vintage 6 Garden Walls may be built to a maximum total height of 36" (under ideal conditions) without geogrid. Use a minimum 6" embedment and 12" of clean crushed rock behind wall.


## Step 1 - Base Course Preparation

Beginning at the wall's lowest elevation, excavate a trench down the length of the wall with a minimum width of 24" to accommodate at least 6" of base material and 6" of block embedment. As a rule of thumb, for every 8" to 10" of wall height, 1" of block should be buried with a minimum of 6" base course embedment. Step the trench up or down with respect to adjacent grade.



## Step 2 - Leveling Pad Installation


Note: Unlike other wall systems, Vintage builds vertically with no setback. For this reason, take extra caution to make sure the first course is level from front to back to prevent tipping or overturning.



## Step 3 - Base Course Installation


The base course will consist of Vintage all three blocks. Use a string line for alignment on straight wall applications. All blocks should rest firmly on the pad and be centered on the base to allow approximately 6" of base area in front and behind the block. Level each block side-to-side, front-to-back, and across three blocks with a hand level. A rubber mallet may be used to level and align the Vintage blocks.

Note: For best alignment results on straight walls use the string line within the interlocking channel.




## Step 4 - Drainage Fill


Place 3/4" to 1" clean aggregate (crushed rock) a minimum of 12" behind the blocks. This creates a drainage zone that helps to unify and maximize the performance of the wall.





## Step 5 - Continue to build courses



## Capping a Wall




**Ending a Wall** - Step the end of your exposed wall with Vintage 6 corner block.




One Vintage Pillar/Corner pallet (12 x 9 x 6" H) can build a 42" H pillar with 28 units.


# VINTAGE 6 WALL - BASIC INSTALLATION




90° Outside Corner Base Course




90° Inside Corner Base Course




Capping a 90° inside corner




90° Outside Corner Second Course




90° Inside Corner Second Course




Capping a 90° inside corner




Building a Concave Curve




Reinforcing a Concave Curve




Reinforcing a 90° Outside Corner



Building a Convex Curve



Reinforcing a Convex Curve



Reinforcing a 90° Inside Corner

**ROCKWOOD**  
RETAINING WALLS  
*A better way.*

**PLEASE NOTE:** Garden walls designs above 36" and retaining walls of any height that support a load should be evaluated and approved by a qualified professional engineer.

For complete retaining wall installation instructions, request a copy of the manual for the block system you are building with. Available online at: [www.rochesterpc.com/install](http://www.rochesterpc.com/install)

# GENERAL TERMS and CONDITIONS OF SALE

These General Terms and Conditions of Sale (these "Terms and Conditions") will apply to the sale of goods and any (if any) applicable services (collectively, with any such services, being the "Goods") pursuant to any contract (a "Contract") to which these Terms and Conditions are made applicable. As used in these Terms and Conditions, "we," "us," "our" and similar terms refer to Rochester Concrete Products, LLC, and "Customer" means the party purchasing the Goods from us.

**Alteration.** No provision in these Terms and Conditions may be varied or waived except by a writing signed by us specifically referring to these Terms and Conditions and describing such variance or waiver. Our acceptance or acknowledgment of Customer's purchase order or any other document pertaining to the Goods, even if in writing and signed by us, will not be deemed an acceptance of any provision of Customer's purchase order or any other document that conflicts with or adds to these Terms and Conditions, absent a separate agreement in writing signed by us expressly acknowledging and agreeing to such provisions. Without limiting the generality of the foregoing, we object to any different or additional terms or conditions contained in any request for quotation, purchase order or other document of Customer, and no such terms will be effective or binding upon us unless we agree to such terms in a writing signed by one of our officers. In no event will our delivery of any Goods be an assent to any such terms proposed by Customer. Unless otherwise expressly stated in any applicable quotation or comparable document signed by us, we may revoke any quotation or other offer at any time prior to acceptance, and no such quotation or other offer will be valid for more than 30 days. After acceptance of an order, Customer may not cancel or terminate any Contract without our consent, except as provided herein or by applicable law.

**Payment; Delivery.** All prices are quoted and all payments will be made in U.S. Dollars. Customer will pay our invoices IN FULL on the terms stated in the applicable invoice, without set-off or counterclaim. Past due invoices will bear a late fee of 1.0% per month or, if less, the highest rate permitted by applicable law. Any stated shipment or delivery date is the date on which we in good faith believe the Goods will be shipped, but failure to ship on that date will not be a breach of the Contract, whether such Goods are in fact shipped before or after that date. All Goods are shipped Ex Works (Incoterms 2010) at our facilities, and costs of transportation and risk of loss during shipment will be borne by Customer. We may deliver any Goods hereunder in installments, in which case each installment will be treated as a separate sale hereunder and may be separately invoiced. Customer will pay all duties and sales, value-added, excise, use or other taxes arising in connection with any transaction (other than taxes based solely on our taxable income). Unless otherwise specified, Goods will be shipped in packaging we reasonably select.

**Duty to Inspect.** Customer will inspect all Goods promptly upon delivery and notify us promptly upon becoming aware of any non-conformity to the Contract. Except as stated regarding any applicable written warranty, we will have no liability regarding any such non-conformity unless such notice is given to us no later than (i) for a defect that could be determined by inspection upon delivery, the 30th day after delivery of such Goods, or (ii) for any other defect, the 30th day after such defect should reasonably have been discovered by Customer,

but in each event not later than the 60th day after delivery of the Goods to Customer. Shipments less than 5% over or under the quantity specified in the Contract will be deemed in conformance with the Contract. Goods will not be deemed non-conforming solely by reason of minor modifications or changes in materials from those specified in the Contract, so long as such modifications and changes do not materially and adversely affect the performance of the Goods. If the Goods do not conform to the Contract, our obligation will be limited to, at our election, supplying the missing Goods, replacing the relevant Goods, or refunding the purchase price paid for such Goods (but in all cases as otherwise may be limited in any other Paragraph of these Terms and Conditions or the Contract).

**Security Interest.** We reserve, and Customer hereby grants to us, a security interest in all Goods. That security interest secures all present and future obligations of Customer to us, including but not limited to the obligation to pay the price of the Goods. We may make any such filings as reasonably necessary to perfect such security interest (and Customer will cooperate promptly in all reasonable respects in connection therewith).

**Our Warranty.** Customer will ensure that any written warranty that we provide with the Goods is properly given to the end user of the Goods (whether by providing such warranty directly or causing Customer's contractors to do so).

**Limited Warranty.** We make no warranty of any nature whatsoever with respect to the Goods, other than any written, limited warranty that we may provide at the time we provide the Goods. If Customer discovers any breach of or similar creation of obligation under the warranty described above, Customer must notify us in writing thereof within 30 days after such discovery. Within a reasonable time following such notification, we will determine whether such warranty in fact applies and will, at our option, either (i) repair or replace the applicable Goods, (ii) remit to Customer the purchase price paid for such Goods, or (iii) take any other action consistent with the terms of such warranty. The foregoing warranties are exclusive. we make no other warranty, express or implied, including but not limited to any implied warranty of merchantability, non-infringement or fitness for a particular purpose. the remedies set forth in this paragraph are the exclusive remedy for any breach of or similar creation of obligation under warranty. The remedies set forth in this Paragraph will not be deemed to have failed of their essential purpose so long as we are willing and able to provide one of the applicable remedies set forth herein.

**Limitations.** Without limiting any other limitation of liability, in no event will we be liable for any incidental, indirect or consequential damages of any kind, whether for breach of any warranty, breach or repudiation of any other term or condition, negligence, strict liability, or otherwise. In no event will our aggregate liability to, through or on behalf of customer in any way related to this or any related transaction exceed the total amount paid to us under the applicable contract.

**Force Majeure.** We will not be liable for any failure to manufacture, deliver or provide, or for any delay in the manufacture, delivery or provision of, any Goods if such failure or delay is caused by act of God, fire, strike, blackout, labor difficulty, riot, inability to obtain raw materials, supplies or other goods or services, equipment, labor or transportation, governmental restrictions, public health nuisance, or similar cause over which we are unable to exercise adequate control. We may cancel any Contract by notice to Customer if we determine in good faith that any such cause makes performance of the Contract impossible or commercially impracticable for us.

**Confidential Information.** "Confidential Information" means information that you obtain from or regarding us regarding our products, business practices, customers, assets or other matters, excluding any information that is publicly available when provided or thereafter becomes publicly available, other than by reason of your breach hereof. You will (i) not use any Confidential Information other than for the performance of any Contract, (ii) not disclose Confidential Information, except to your employees and contractors requiring such information for the performance of any Contract, (iii) use your best efforts to prevent your employees, your contractors, and your contractors' employees from using or disclosing Confidential Information to any party, except as permitted by this Paragraph, and (iv) return all Confidential Information to us upon our request following completion or termination of any Contract. This Paragraph (and all related rights and remedies) will survive performance or termination of any Contract.

**Miscellaneous.** All rights and obligations under these Terms and Conditions and any Contract will be governed by the laws of the State of Minnesota (without regard to principles of conflicts of law). The headings herein are for convenience of reference only and will not affect any meaning or interpretation. The United Nations Convention on Contracts for the International Sale of Goods will not apply.

Customer hereby irrevocably submits to the exclusive jurisdiction of any court sitting in Hennepin county, Minnesota, in any proceeding arising out of or relating to the interactions between us and customer and to the respective court to which an appeal of the decisions of any such court may be taken, and customer agrees not to commence, or cooperate in or encourage the commencement of, any such proceeding, except in such a court. Customer hereby irrevocably waives, to the fullest extent it may do so, the defense of an inconvenient forum to the maintenance therein of such a proceeding. customer hereby agrees that a final judgment in any such proceeding will be conclusive and may be enforced in any jurisdiction by suit on the judgment or by any other manner provided by applicable law. Customer hereby expressly waives any right it may have to a jury trial in any such proceeding. no claim or action, regardless of form, arising out of the interactions between us and customer may be brought by or on behalf of customer more than one year after the cause of action has accrued (subject to any further applicable limitation). If any such legal action is brought, the prevailing party will be awarded reasonable attorneys' fees in addition to any other relief that may be granted.



# POLICIES, CREDIT TERMS and CONDITIONS

## ORDERING POLICY:

Purchase orders must be faxed or entered on-line:

Dispatch Fax Numbers:

- Rochester: (507) 424-4697 or (507) 288-1487
- Beaver Dam: (920) 386-4612 or (920) 386-9054
- Thorp: (715) 669-7135
- Jordan: (952) 492-3668

## DISPATCH/YARD HOURS:

- April 1 – Oct. 31: 7:30 a.m. – 5:00 p.m.
- Nov. 1 – Mar. 14: 8:00 a.m. – 3:30 p.m.

## ORDER ON-LINE:

- <http://order.rochesterpc.com/>
- Upon receipt of an order, buyer will receive an Order Acknowledgment with order details and costs. Unless changes are communicated to dispatch, orders will be processed and invoiced as shown on the Order Acknowledgment.
- The acceptance of an order by RCP shall constitute a binding contract of purchase and sale in accordance with the terms and conditions stated in this agreement.
- All sales made assume buyer has seen and approved actual sample(s). Exact color match cannot be guaranteed
- The use of any material by, or on behalf of the buyer, shall constitute acceptance of the material by the buyer.

## CREDIT CARD POLICY:

- Credit card payments are not allowed for payments on accounts.
- For C.O.D./phone-in orders paying by credit card, a 3% service fee will be added to the invoice.
- For C.O.D./walk-in orders paying by credit card, the 3% fee will be waived if card is presented. For all credit cards that need to be entered manually, a 3% service fee will be added to the invoice.

## ACCOUNTS POLICY:

- All credits will be applied to accounts towards balance on-hand or future purchases. No credit checks will be given.
- C.O.D orders must be paid with cash, credit card, certified check, or prior-approved check.
- All accounts are payable IN FULL within 30 days from the date of invoice. After 30 days, 1% interest will be charged per month (12% annually), calculated monthly on the balance at the end of the period. If any amount is past due on the account, the entire account is in default and (at the option of the seller), becomes due and payable immediately.

## PALLET RETURN POLICY:

- Receipts will be given for pallets returned to any RCP yard. After careful inspection, customer accounts will be credited for returned pallets that are in good/re-usable condition. RCP reserves the right to deduct pallet costs based on pallet condition and does not guarantee any credit amount. Returned Pallet Credits will be applied to accounts for future purchases.

## PARTIAL PALLET POLICY:

- A \$17.5 per pallet fee will be assessed for all partial pallet orders (any quantity other than original full pallet packaging).

## PALLET RETURN POLICY:

- Receipts will be given for pallets returned to any RCP yard. After careful inspection, customer accounts will be credited for returned pallets that are in good/re-usable condition. RCP reserves the right to deduct pallet costs based on pallet condition and does not guarantee any credit amount. Returned Pallet Credits will be applied to accounts for future purchases.

## MATERIAL RETURN POLICY:

- Materials ordered in excess of the Buyer's requirements, or in error, or otherwise, may not be returned without the written consent of the Seller.
- Returns after 30 days from delivery date are subject to a 25% restocking fee.
- Materials older than 60 days from delivery date cannot be returned.
- Materials being returned must have original pallet tag(s).
- Only full pallets of material will be accepted for return, no broken/partial pallets.
- Accessories kits or components cannot be returned.
- All returns will be credited to the account.

## DEFECTIVE MATERIAL POLICY:

- Claims for defective material must be made within 30 days of delivery. Defective material will be replaced at no charge or credited to accounts. Free replacement will be the extent of the Sellers' warranty. Any such defective material claim does not constitute justification for short pay or delayed payment. All other claims must be submitted within 30 days of purchase.
- Unsuitable or defective materials must be available for inspection by the Seller. If the Seller is unable to inspect defective material, buyer must submit photographs that clearly show material quality issues or damages. Buyer is required to submit pallet tags to verify the production lot/manufacturing date.
- Seller has final determination for the credit amount or the material quantity to be replaced.

## SPECIAL RUN POLICY:

- \$550 set-up fee for standard colors
- Projects over 2,000 sq. ft. per mold set up, fee will be waived.
- Projects fewer than 500 sq. ft. will not be accepted.
- Special runs for colors not currently produce by RCP and affiliates will be quoted on a per job basis. Contact your RCP sales rep for a quote.
- Customer will receive project quote from sales with estimated completion date. Customer must use this quote sheet at time of ordering.
- 5-10% overage will be run on each project and is the responsibly of the customer to take all product produced.
- All special run orders must be shipped within ten business days of manufacture (after ten business days, additional fees will be assessed). Special run orders cannot be cancelled or returned. Customers who refuse delivery of any part of a special run will be invoiced for entire order.

## CREDIT TERMS AND CONDITIONS

- Except as otherwise provided by written agreement subsequently executed by both Buyer and Seller, these Terms and Conditions, and the terms in Seller's invoices shall supersede the terms and conditions of Buyer's order (including, without limitation, any statement that Buyer's terms or conditions are to take precedence over any contrary provisions), and no prior or subsequent understanding, oral representation, agreement, term, condition, or trade custom at variance with or supplemental to these Terms and Conditions shall be binding on the Seller.
- Any extension of credit is issued pursuant to the information and financial representations made herein by said credit applicant and/or said guarantors.
- A faxed credit application will be deemed as original.
- Except as otherwise provided by written agreement subsequently executed by both Buyer and Seller, all amounts are due IN FULL net 30 days from date of invoice. Any such amounts not paid when due shall become delinquent and shall bear a late fee at the rate of one percent (1%) per month, or an ANNUAL PERCENTAGE RATE OF 12%.
- Rochester Concrete Products, LLC may decline further credit purchases if any portion of the account is past due.
- Returned checks are subject to a \$30.00 processing fee (or the maximum allowed by law in the state of acceptance).
- The privilege of making credit purchases will be terminated if there is any change in the applicant's ownership, management, or form of business organization unless Rochester Concrete Products, LLC is notified and agrees to such a change.
- Any amounts paid under this agreement by the Buyer to Rochester Concrete Products, LLC may be applied by Rochester Concrete Products, LLC to outstanding principal and interest as Rochester Concrete Products, LLC deems appropriate.
- Customer is responsible for all collection costs and legal fees if payment is not received pursuant to these Terms and Conditions.

# RCP, LLC LIMITED LIFETIME WARRANTY

OUR PRODUCTS ARE DESIGNED TO WITHSTAND THE EVERYDAY USE AND ABUSE THAT YOU, TIME AND MOTHER NATURE CAN THROW AT THEM. OUR LIMITED LIFETIME WARRANTY ASSURES HOMEOWNERS THAT WHAT'S MEANT TO LAST, WILL LAST. AND IF IT DOESN'T, WE'LL STAND BEHIND IT.

**IMPORTANT NOTICE:** Read this entire RCP Limited Lifetime Warranty and Limitation of Liability ("Limited Warranty"). It is important that the warranted products be properly installed and maintained in order for them to function successfully throughout the duration of this Limited Warranty. Depending on the product's application, installation guides can be found at [www.rochesterpc.com](http://www.rochesterpc.com). It is also important for your installer to carefully review the technical information, including specifications, for the chosen use of your RCP products as it may be the responsibility of the installer or design engineer to provide independent soil testing, quality assurance inspection, testing, and design services necessary to ensure a safe and functional application.

This Limited Warranty applies only to RCP products that are purchased and used as part of Rockwood Retaining Wall Systems installed in owner-occupied single-family homes within the United States, subject to the stated conditions and limitations. This Limited Warranty does not extend to any current or future products distributed, but not manufactured, by RCP. This Limited Warranty applies only to RCP's products and not to the system into which they may be placed. Nor does this Limited Warranty cover RCP products used in governmental, commercial, or multi-residential applications.

## LIMITED LIFETIME WARRANTY FOR RCP PRODUCTS INSTALLED IN OWNER-OCCUPIED SINGLE-FAMILY HOMES AS A PART OF A ROCKWOOD WALL OR HARDSCAPE SYSTEM.

RCP warrants that its products will be free from defects for as long as you own your home. If RCP is given prompt notice of a defect, it shall, at its sole option: (1) repair or replace the defective product(s), or (2) refund the original purchase price of the defective product(s). This Limited Lifetime Warranty is provided only to the owner(s) of the home at the time of purchase and may not be assigned or transferred. In the event the owner(s) sells the home, this warranty automatically converts to a two-year limited warranty affording the same scope of protection and governed by the same conditions, disclaimers and limitations of this Limited Lifetime Warranty. If RCP elects to repair the defect, it shall be responsible for the labor to accomplish the repair. If RCP elects to replace the defective product(s), its obligation is to deliver suitable replacement product to owner's property.

## LIMITATION OF LIABILITY

This Limited Warranty sets forth the maximum liability for our products. IN NO EVENT (INCLUDING WHERE THIS LIMITED WARRANTY IS DEEMED NOT TO APPLY TO THE SALE OR PRODUCT IN QUESTION) SHALL RCP, GLS INDUSTRIES, INC., OR ROCKWOOD RETAINING WALLS, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE SALE, INSTALLATION OR USE OF ANY RCP PRODUCTS. Some states do not allow the exclusion or limitation of incidental or consequential damages for consumers, so the above limitation or exclusion may not apply to you.

## LIMITATION OF WARRANTY

RCP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES FOR MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.

## DISCLAIMER - WHAT THIS LIMITED WARRANTY DOES NOT COVER

RCP is not responsible for or makes no warranty as to:

1. Product failure, loss or damage due to:
  - Normal wear and tear;
  - Damage due to improper handling and repeated or extended contact with chemicals, such as de-icers;
  - Products improperly installed or maintained;
  - Acts of God;
  - Structural settlement, movement or vibration;
  - Products that have not been paid for in full.
2. Minor imperfections
  - Minor imperfections that do not affect the product's structural integrity;
  - Variations in product texture or color;
  - Efflorescence;
  - Minor imperfections in shape, appearance, or dimensions covered by ASTM C1372.

## CONDITIONS OF WARRANTY - WHAT YOU MUST DO TO RECOVER UNDER THIS LIMITED WARRANTY

### PROMPT NOTICE OF DEFECT:

Within the warranty period, you must promptly, and in no case more than one (1) year after any defect or other basis of a claim covered by this Limited Warranty is discovered or should have been discovered, notify RCP of the defect. Any claims otherwise covered by this Limited Warranty, but for which RCP did not receive notice of the defect within one (1) year from the time the problem first became known, shall be barred.



## LIMITED WARRANTY CLAIM PROCEDURE

Claims under this Limited Warranty may be made in writing to RCP at 7200 Broadway Ave. N, Rochester, MN 55906.

Claims should include the following information:

1. Claimant's name, address and phone number, and the installation address (if different);
2. A description of the product, purchase price, date and location of purchase, and copies of invoices, if available;
3. A description of the defect(s) (photos are required); and
4. A brief summary of attempts made to address the concerns.

## NO STATEMENT OF USEFUL LIFE


This Limited Warranty is not a statement of the useful life of any RCP products.

dms.us.51883281.01



Rochester Concrete Products is third generation family owned business with mortarless concrete manufacturing experience dating back to 1914.

[www.rochestercp.com](http://www.rochestercp.com)



**Rochester**  
Concrete Products™

Corporate Office: 7200 Broadway Ave. N., Rochester, MN 55906 • Phone (507) 288-8850

